

CSX.0276

# **CONSILEX JAZZ**

Water repellent, revitalising treatment for porous, absorbent surfaces



3824 9970



- Plastic can 25 kg
- Plastic can 5 kg
- Plastic can 10 kg

### **Application**

- Low pressure airless nebulizer
- Brush
- Paint roller

Family Type Consilex Wate

Water-repellent and revitalising treatments for concretes,

masonry and brickwork in general

Product Lines Functional Cathegories
• Building • Improvement of waterproo

 Improvement of waterproofing capacity and/or impermeabilisation of mortars, plasters and concretes
 Realkalinization and renovation of existing cement

conglomerates

Components Appearance

Single-component Liquid

### General description

Aqueous dispersion treatment of polysiloxane resins, ideal for giving the artefacts, by applying a low pressure spray, brush or roller, water-repellent and revitalizing characteristics, regenerating the original color of the treated material.

#### General **features**

CONSILEX JAZZ revitalises (regenerates the original colour) of the surface treated by simultaneously creating an efficient and long-lasting pearly, water repellent effect. The benefits obtainable using CONSILEX JAZZ are:

- revitalisation of the treated surface
- waterproofing against water vapour and carbon dioxide
- low water absorption
- reduced surface dirt
- good pearly effect and efficient surface self-cleaning

#### **Dosage**

From 0.15 to 0.40 kg of CONSILEX JAZZ for each square metre of surface to be treated, based on the porosity of the support.

## Fields of application

Treatment to revitalise and waterproof porous surfaces (terracotta tiles and bricks, tuff, ecc).

#### Basic **features**



Nonflammable



Shelf-life: 12 months



Solvent-free



Available **colours** Transparent

## Tools cleansing

• Water

# Applicable on

- Plasters
- Concrete
- Cement-based or lime-based mortars
- Bricks
- Mixed walls (bricks and stones)
- Stone walls
- Rock walls
- Porphyry and natural stones

### Substrate preparation

The application supports should be clean and dry; where necessary, you should remove mould, algae and lichens on the surfaces, by applying CONSILEX ANTIMUFFA CLEANER (mould remover).



www.azichem.com

Updated: **02/07/2021**General sales conditions and legal

notices on

www.azichem.com/disclaimer

Page: **1/3** 

#### **Instructions** for use

The application must take place by spraying, at low pressure (maximum 0.5 bar) or using a roller or long bristle brush.

Based on the extreme diversity of the application supports, it is always advisable to carry out preliminary tests to determine the level and validity of the treatment obtainable, the actual absorption of the product and the absence of colour changes, etc.

#### Storage and preservation

Protect from freezing. Store the product at a temperature between +10°C and +30°C.



## Warnings, Precautions and Ecology

The general information, along with any instructions and recommendations for use of this product, including in this data sheet and eventually provided verbally or in writing, correspond to the present state of our scientific and practical knowledge.

Any technical and performance data reported is the result of laboratory tests conducted in a controlled environment and thus may be subject to modification in relation to the actual conditions of implementation.

Azichem Srl does not assume any liability arising from inadequate characteristics related to improper use of the product or connected to defects arising from factors or elements unrelated to the quality of the product, including improper storage.

Those wishing to utilise the product are required to determine prior to use whether or not the same is suitable for the intended use, assuming all consequent responsibility.

The technical and characteristic details contained in this data sheet shall be updated periodically. For consultation in real time, please visit the website: www.azichem.com. The date of revision is indicated in the space to the side. The current edition cancels out and replaces any previous version.

Please note that the user is required to read the latest Safety Data Sheet for this product, containing chemical-physical and toxicological data, risk phrases and other information regarding the safe transport, use and disposal of the product and its packaging. For consultation, please visit: www.azichem.com.

It is forbidden to dispose of the product and/or packaging in the environment.

Technical and performance data possibly outlined in this document are the result of laboratory testing conducted in a conditioned environment, as such they can result as considerably changed from operating and start-up conditions. The need follows to carry out preliminary tests in actual use conditions.

Remember that the user is obliged to read the most recent safety data sheet for the product, containing the chemical-physical and toxicological data, the risk phases and other information to transport, use and dispose of the product and its packaging in complete safety. You are however reminded not to dispose of the product and its packaging in the environment.



Updated: 02/07/2021

www.azichem.com

General sales conditions and legal

notices on

www.azichem.com/disclaimer

Page: 2/3





www.azichem.com

Updated: **02/07/2021** 

General sales conditions and legal

notices on

www.azichem.com/disclaimer

Page: **3/3**