# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: QL FLUOSIL
Revision date: 07.05.2017

 Revision date :
 07.05.2017
 Version (Revision) :
 2.0.0 (1.0.0)

 Print date :
 07.05.2017

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

QL FLUOSIL

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Preparation for building and construction: Chemical hardener, dust-proof for cement-based conglomerates.

# 1.3 Details of the supplier of the safety data sheet

# Supplier (manufacturer/importer/only representative/downstream user/distributor)

AZICHEM Srl

Street: Via G. Gentile 16/A

**Postal code/city:** 46044 Goito (MN) **Telephone:** +390376604185/604365

**Telefax:** +39 0376 604398

Information contact: info@azichem.com

# 1.4 Emergency telephone number

Centro Antiveleni di Milano +39 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) (24h)

Centro Antiveleni di Pavia +39 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia) Centro Antiveleni di Bergamo +39 800 883300 (CAV Ospedali Riuniti - Bergamo) Centro Antiveleni di Firenze +39 055 7947819 (CAV Ospedale Careggi - Firenze) Centro Antiveleni di Roma +39 06 3054343 (CAV Policlinico Gemelli - Roma) Centro Antiveleni di Roma +39 06 49978000 (CAV Policlinico Umberto I - Roma) Centro Antiveleni di Napoli +39 081 7472870 (CAV Ospedale Cardarelli - Napoli)

### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4; H302 - Acute toxicity (oral): Category 4; Harmful if swallowed.

# 2.2 Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**Hazard pictograms** 



Exclamation mark (GHS07)

#### Signal word

Warning

### Hazard components for labelling

MAGNESIUM HEXAFLUOROSILICATE; CAS No.: 16949-65-8

**Hazard statements** 

H302 Harmful if swallowed.

### **Precautionary statements**

P264 Wash hands thoroughly after handling.

P270 Do no eat, drink or smoke when using this product.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/....

P330 Rinse mouth.

Page: 1/9

(EN/D)

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: QL FLUOSIL

**Revision date :** 07.05.2017 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 07.05.2017

### 2.3 Other hazards

None

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### **Hazardous ingredients**

MAGNESIUM HEXAFLUOROSILICATE; EC No.: 241-022-2; CAS No.: 16949-65-8

Weight fraction :  $\geq$  15 - < 20 % Classification 1272/2008 [CLP] : Acute Tox. 3 ; H301

SODIUM SILICATE; REACH registration No.: 01-2119448725-31; EC No.: 215-687-4; CAS No.: 1344-09-8

Weight fraction :  $\geq$  5 - < 10 %

Classification 1272/2008 [CLP]: Skin Irrit. 2; H315 Eye Irrit. 2; H319

**Additional information** 

Full text of H- and EUH-statements: see section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

When in doubt or if symptoms are observed, get medical advice.

# **Following inhalation**

Remove victim out of the danger area. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

### In case of skin contact

Wash immediately with: Water Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.

#### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

### After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

# 4.2 Most important symptoms and effects, both acute and delayed

Harmful if swallowed.

### 4.3 Indication of any immediate medical attention and special treatment needed

None

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Extinguishing powder alcohol resistant foam Carbon dioxide (CO2) Water mist

# 5.2 Special hazards arising from the substance or mixture

None

# 5.3 Advice for firefighters

Remove persons to safety.

#### Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use appropriate respiratory protection.

Page: 2 / 9

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: QL FLUOSIL
Revision date: 07.05.2017

 Revision date :
 07.05.2017
 Version (Revision) :
 2.0.0 (1.0.0)

 Print date :
 07.05.2017

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately. Wear a self-contained breathing apparatus and chemical protective clothing.

## For non-emergency personnel

Remove persons to safety.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3 Methods and material for containment and cleaning up

### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

#### For cleaning up

The contaminated area should be cleaned up immediately with: Water Retain contaminated washing water and dispose it.

### 6.4 Reference to other sections

Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8

# **SECTION 7: Handling and storage**



### 7.1 Precautions for safe handling

### **Protective measures**

#### Specific requirements or handling rules

Do not breathe dust. Do not breathe gas/fumes/vapour/spray. See section 8.

### Advices on general occupational hygiene

Normal precautions taken when handling chemicals should be observed.

# 7.2 Conditions for safe storage, including any incompatibilities

Only use containers specifically approved for the substance/product.

### Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Protect against UV-radiation/sunlight Humidity.

#### Hints on joint storage

Storage class: 12

Storage class (TRGS 510): 12

Keep away from

Store at least 3 metres apart from: Chemicals/products that react together readily

#### **Further information on storage conditions**

Keep container tightly closed and in a well-ventilated place.

# 7.3 Specific end use(s)

None

### **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

Page: 3 / 9

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: QL FLUOSIL

**Revision date :** 07.05.2017 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 07.05.2017

### Occupational exposure limit values

MAGNESIUM HEXAFLUOROSILICATE; CAS No.: 16949-65-8

Limit value type (country of origin): TWA ( EC )
Limit value: 2,5 mg/m³
Version: 08.06.2000
Limit value type (country of origin): TLV/TWA ( EC )
Limit value: 2,5 mg/m³

Version:

### **DNEL/DMEL and PNEC values**

### **DNEL/DMEL**

Limit value type: DNEL Consumer (systemic) ( SODIUM SILICATE ; CAS No. : 1344-09-8 )

Exposure route: Dermal

Exposure frequency: Long-term (repeated)

Limit value : 0,8 mg/kg

Limit value type: DNEL Consumer (systemic) ( SODIUM SILICATE ; CAS No. : 1344-09-8 )

Exposure route: Inhalation

Exposure frequency: Long-term (repeated)

Limit value : 1,38 mg/m<sup>3</sup>

Limit value type: DNEL Consumer (systemic) ( SODIUM SILICATE; CAS No.: 1344-09-8 )

Exposure route: Oral

Exposure frequency: Long-term (repeated)

Limit value : 0,8 mg/kg

Limit value type: DNEL worker (systemic) ( SODIUM SILICATE ; CAS No. : 1344-09-8 )

Exposure route: Dermal

Exposure frequency: Long-term (repeated)

Limit value : 1,59 mg/kg

Limit value type : DNEL worker (systemic) ( SODIUM SILICATE ; CAS No. : 1344-09-8 )

Exposure route: Inhalation

Exposure frequency: Long-term (repeated)

Limit value : 5,61 mg/m<sup>3</sup>

**PNEC** 

Limit value type : PNEC aquatic, freshwater ( SODIUM SILICATE ; CAS No. : 1344-09-8 )

Limit value : 7,5 mg/l

Limit value type : PNEC aquatic, intermittent release ( SODIUM SILICATE ; CAS No. : 1344-09-8 )

Limit value : 7,5 mg/l

Limit value type : PNEC aquatic, marine water ( SODIUM SILICATE ; CAS No. : 1344-09-8 )

Limit value : 1 mg/l

Limit value type: PNEC Secondary Poisoning ( SODIUM SILICATE ; CAS No. : 1344-09-8 )

Limit value : 348 mg/kg

Limit value type : PNEC sewage treatment plant (STP) ( SODIUM SILICATE ; CAS No. : 1344-09-8 )

Limit value : 348 mg/l

# 8.2 Exposure controls

## Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

# **Personal protection equipment**





When using do not eat, drink, smoke, sniff.

Page: 4/9

(EN/D)

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: **QL FLUOSIL** 

Revision date: 07.05.2017 Version (Revision): 2.0.0 (1.0.0)

Print date : 07.05.2017

### Eye/face protection

# Suitable eye protection

Eye glasses with side protection

# Skin protection

**Hand protection** 

Tested protective gloves must be worn

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties Safety relevant basis data

Aspect liquid Colour yellowish Odour none Melting point/melting range: (1013 hPa) °C 0 Vapour density ((air = 1))Data not available Initial boiling point and boiling range: (1013 hPa) °C 100 **Decomposition temperature:** No data available **Self flammability** not applicable Flash point: Not flammable Lower explosion limit : not applicable Upper explosion limit: not applicable Not applicable **Explosive properties** Density: (20°C) 1,13

a/cm3 Water solubility: (20°C) miscibility pH: 11

pKa

Log Pow (20°C) not applicable Viscosity: (23°C) No data available **Odour threshold** Data not available **Evaporation rate** Data not available Maximum VOC content (EC): 0

Wt % **Oxidizing properties** 

Not oxidising

### 9.2 Other information

None

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No information available.

### 10.2 Chemical stability

See section 7. No additional measures necessary.

### 10.3 Possibility of hazardous reactions

No information available.

# 10.4 Conditions to avoid

No information available.

# 10.5 Incompatible materials

No information available.

# 10.6 Hazardous decomposition products

No information available.

Page: 5 / 9

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: QL FLUOSIL

**Revision date :** 07.05.2017 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 07.05.2017

### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Acute effects**

#### **Acute oral toxicity**

Parameter: LD50 ( SODIUM SILICATE ; CAS No. : 1344-09-8 )

Exposure route: Oral Species: Rat

Effective dose: > 2000 mg/kg

Acute dermal toxicity

Parameter: LD lo ( MAGNESIUM HEXAFLUOROSILICATE ; CAS No. : 16949-65-8 )

Exposure route : Derma Species : Pig

Effective dose : = 200 mg/kg

### **Irritant and corrosive effects**

Not an irritant.

### Sensitisation

No known sensitizing effect.

# Repeated dose toxicity (subacute, subchronic, chronic)

There were no chronic effects or effects at low concentrations.

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The ingredients in this mixture do not meet the criteria for classification as CMR according to CLP.

# **SECTION 12: Ecological information**

Do not allow uncontrolled discharge of product into the environment.

### 12.1 Toxicity

### **Aquatic toxicity**

### Acute (short-term) fish toxicity

Parameter: LC50 ( SODIUM SILICATE ; CAS No. : 1344-09-8 )

Species: Brachydanio rerio (zebra-fish)

Effective dose : 3185 mg/l
Exposure time : 96 h
Acute (short-term) daphnia toxicity

Parameter: EC0 ( SODIUM SILICATE ; CAS No. : 1344-09-8 )

Species: Daphnia magna (Big water flea)

Effective dose: > 500 mg/l Exposure time: 24 h

### 12.2 Persistence and degradability

No information available.

# 12.3 Bioaccumulative potential

No information available.

# 12.4 Mobility in soil

No information available.

# 12.5 Results of PBT and vPvB assessment

No information available.

### 12.6 Other adverse effects

No information available.

# 12.7 Additional ecotoxicological information

Page: 6 / 9

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: QL FLUOSIL

**Revision date :** 07.05.2017 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 07.05.2017

None

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods Product/Packaging disposal

Dispose according to legislation.

# **SECTION 14: Transport information**

### 14.1 UN number

No dangerous good in sense of these transport regulations.

## 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

#### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

# 14.4 Packing group

No dangerous good in sense of these transport regulations.

#### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

# <sup>15.1</sup> Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** legislation

Regulation (EC) 1907/2006/CE (REACh). Regulation (EC) No 1272/2008 (CLP). Regulation (EU) 2015/830 requirements for the compilation of safety data sheets. Commission Regulation (EC) No 790/2009/CE (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 286/2011 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 618/2012 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 487/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 944/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 605/2014 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EC) No 1272/2008). Regulation (EC) No 1272/2008). Regulation (EC) No 1272/2008). Regulation (EC) No 1272/2008). Regulation (EC) No 1272/2008).

### Other regulations (EU)

Regulation (CE) 1907/2006: Substance of very high concern included in the SVHC Candidate List None

# **National regulations**

Italy: Legislative Decree 81/2008 (Consolidated Law on protection of health and safety at work), as amended and Directive 2009/161/UE - chemical risk assessment in accordance with Title IX

#### Water hazard class (WGK)

Class: 2 (Hazardous to water) Classification according to VwVwS

Page: 7 / 9

# according to Regulation (EC) No. 1907/2006 (REACH)



**QL FLUOSIL** Trade name:

**Revision date:** 07.05.2017 Version (Revision): 2.0.0 (1.0.0)

Print date: 07.05.2017

#### 15.2 Chemical safety assessment

not applicable

### **SECTION 16: Other information**

# 16.1 Indication of changes

02. Label elements · 03. Hazardous ingredients · 08. Occupational exposure limit values

### 16.2 Abbreviations and acronyms

LEGENDA:

ADR: Accord européen relative au transport international des marchandises dangereuses par route (accordo

europeo relativo al trasporto internazionale delle merci pericolose su strada)

ASTM: ASTM International, originariamente nota come American Society for Testing and Materials (ASTM) **EINECS:** 

European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze

chimiche in Commercio)

EC(0/50/100): Effective Concentration 0/50/100 (Concentrazione Effettiva Massima per 0/50100% degli Individui)

LC(0/50/100): Lethal Concentration 0/50/100 (Concentrazione Letale per 0/50100% degli Individui) IC50: Inhibitor Concentration 50 (Concentrazione Inibente per il 50% degli Individui)

NOEL: No Observed Effect Level (Dose massima senza effetti)

NOEC: No Observed Effect Concentration (Concentrazione massima senza effetti)

LOFC: Lowest Observed Effect Concentration (Concentrazione massima alla quale è possibile evidenziare un

DNFI: Derived No Effect Level (Dose derivata di non effetto)

DMFI: Derived Minimum Effect Level (Dose derivata di minimo effetto)

CLP: Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio)

CSR: Rapporto sulla Sicurezza Chimica (Chemical Safety Report) LD(0/50/100): Lethal Dose 0/50/100 (Dose Letale per 0/50/100% degli Individui)

IATA: International Air Transport Association (Associazione Internazionale del Trasporto Aereo) International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile) ICAO: Codice IMDG: International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Marittimo)

PBT: Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche) RID: Règlement concernent le transport International ferroviaire des marchandises Dangereuses (Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)

STEL: Short term exposure limit (limite di esposizione a breve termine)

TLV: Threshold limit value (soglia di valore limite)

TWA: Time Weighted Average (media ponderata nel tempo)

UF: Unione Europea

vPvB: Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)

N.D.: Non disponibile. N.A.: Non applicabile

Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water VwVwS.:

Hazard Classes (Verwaltungsvorschrift wassergefährdende Stoffe – VwVwS)

PNEC: Predicted No Effect Concentration PNOS: Particulates not Otherwise Specified BOD: Biochemical Oxygen Demand COD: Chemical Oxygen Demand BCF. BioConcentration Factor

Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The TRGS:

Federal Institute for Occupational Safety and Health, Germany

LCLo: Lethal Concentration Low (La minima concentrazione letale)

Theoretical Oxygen Demand

# 16.3 Key literature references and sources for data

None

# 16.4 Classification for mixtures and used evaluation method according to regulation

Page: 8 / 9

(EN/D)

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: QL FLUOSIL

**Revision date :** 07.05.2017 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 07.05.2017

# (EC) No 1272/2008 [CLP]

calculated.

# 16.5 Relevant H- and EUH-phrases (Number and full text)

H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.

# 16.6 Training advice

None

# 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 9/9