

Trade name : Revision date : Print date : SYNTECH HAG ECO Comp B 14.11.2019 14.11.2019

Version :

1.0.0

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

SYNTECH HAG ECO Comp B

## **1.2** Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Preparation for building and construction: Single-component, hydro-expanded, semi-rigid, solvent free, injectable polyurethane resin. Component B.

#### 1.3 Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor)

AZICHEM Srl

Street : Via G. Gentile16/A

Postal code/city: 46044 Goito (MN)

**Telephone :** +390376604185/604365

**Telefax :** +39 0376 604398

Information contact : info@azichem.com

#### 1.4 Emergency telephone number

Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) (24h) Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia) Centro Antiveleni di Bergamo 800 883300 (CAV Ospedali Riuniti - Bergamo) Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze) Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Gemelli - Roma) Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberto I - Roma) Centro Antiveleni di Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP]

Aquatic Acute 1 ; H400 - Hazardous to the aquatic environment : Acute 1 ; Very toxic to aquatic life. Aquatic Chronic 1 ; H410 - Hazardous to the aquatic environment : Chronic 1 ; Very toxic to aquatic life with long lasting effects.

Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed.

Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage.

Skin Corr. 1B ; H314 - Skin corrosion/irritation : Category 1B ; Causes severe skin burns and eye damage.

#### 2.2 Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Corrosion (GHS05) · Environment (GHS09) · Exclamation mark (GHS07) Signal word Danger Hazard components for labelling

HEXADECYLDIMETHYLAMINE ; CAS No. : 112-69-6



Trade name :	SYNTECH HAG ECO Comp B		
Revision date :	14.11.2019	Version :	1.0.0
Print date :	14.11.2019		

	Hazard statements	
	H314	Causes severe skin burns and eye damage.
	H302	Harmful if swallowed.
	H410	Very toxic to aquatic life with long lasting effects.
	Precautionary state	ments
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor
	P362+P364	Take off contaminated clothing and wash it before reuse.
	P391	Collect spillage.
	P501	Dispose of contents/container in accordance with local regulation
2.3	Other hazards	

None

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### **Hazardous ingredients**

HEXADECYLDIMETHYLAMINE ; REACH registration No. : 2735 ; EC No. : 203-997-2; CAS No. : 112-69-6

Weight fraction :	≥ 20 - < 30 %
Classification 1272/2008 [CLP] :	Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Aquatic Acute 1 ; H400 (M=10)Aquatic Chronic 1 ; H410 (M=1)
DIMETHYL(TETRADECYL)AMINE ; EC	No. : 204-002-4; CAS No. : 112-75-4
Weight fraction :	≥ 0,5 - < 1 %
Classification 1272/2008 [CLP] :	Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410
DIMANTINE ; EC No. : 204-694-8; CA	S No. : 124-28-7
Weight fraction :	≥ 0,5 - < 1 %
Classification 1272/2008 [CLP] :	Skin Corr. 1B ; H314 Acute Tox. 4 ; H302 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410
Additional information	

Full text of H- and EUH-statements: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

When in doubt or if symptoms are observed, get medical advice.

#### **Following inhalation**

Remove victim out of the danger area. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

#### In case of skin contact

Wash immediately with: Water Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.

#### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

Page : 2 / 9



Trade name : Revision date : Print date : SYNTECH HAG ECO Comp B 14.11.2019 14.11.2019

Version :

1.0.0

#### **4.2 Most important symptoms and effects, both acute and delayed** Causes severe skin burns and eye damage.

4.3 Indication of any immediate medical attention and special treatment needed None

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media Suitable extinguishing media Extinguishing powder alcohol resistant foam Carbon dioxide (CO2) Water mist

- 5.2 Special hazards arising from the substance or mixture Hazardous combustion products Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx)
- 5.3 Advice for firefighters Remove persons to safety. Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use appropriate respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately. Wear a self-contained breathing apparatus and chemical protective clothing.

#### For non-emergency personnel

Remove persons to safety.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

#### For cleaning up

The contaminated area should be cleaned up immediately with: Water Retain contaminated washing water and dispose it.

#### 6.4 Reference to other sections

Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8

#### **SECTION 7: Handling and storage**



#### 7.1 Precautions for safe handling

#### **Protective measures**

**Specific requirements or handling rules** Do not breathe dust. Do not breathe gas/fumes/vapour/spray. See section 8.

#### Advices on general occupational hygiene

Page : 3 / 9



Trade name : Revision date : Print date : SYNTECH HAG ECO Comp B 14.11.2019 14.11.2019

Version :

1.0.0

Normal precautions taken when handling chemicals should be observed.

**7.2 Conditions for safe storage, including any incompatibilities** Only use containers specifically approved for the substance/product.

#### Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Protect against UV-radiation/sunlight Humidity.

#### Hints on joint storage

Storage class: 8B Storage class (TRGS 510): 8B

#### Keep away from

Store at least 3 metres apart from: Chemicals/products that react together readily

#### Further information on storage conditions

Keep container tightly closed and in a well-ventilated place.

#### 7.3 Specific end use(s)

None

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### None

#### 8.2 Exposure controls

#### Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### Personal protection equipment



#### Eye/face protection

Suitable eye protection

Safety glasses with side shields (EN 166).

#### Skin protection

Hand protection

Wear rubber gloves approved under standard EN374.

#### **Respiratory protection**

Respiratory protection necessary at: exceeding exposure limit values **Suitable respiratory protection apparatus** Full-/half-/quarter-face masks (DIN EN 136/140) Filter type: A

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

#### Safety relevant basis data

Aspect		liquid
Colour		Light Yellow
Odour		ammoniacal
Melting point/melting range :	( 1013 hPa )	not determined
Vapour density	( (air = 1) )	Not Determined

Page : 4 / 9



Trade name :	SYNTECH HAG ECO Comp B
Revision date :	14.11.2019
Print date :	14.11.2019

Version :

1.0.0

	Initial boiling point and boiling range :	( 1013 hPa )		not determined	
	Decomposition temperature :			not determined	
	Flash point :			not determined	
	Ignition temperature :			not determined	
	Lower explosion limit :			not determined	
	Upper explosion limit :			not determined	
	Explosive properties			Product is not explosive	
	Vapour pressure	( 20 °C )		No data available	
	Density :	( 20 °C )	approx.	0,92	g/cm <sup>3</sup>
	Density :	(23 °C)		No data available	
	Water solubility :	( 20 °C )		miscibility	
	Soluble in:	( 20 °C )		No data available	
	рН :		>	11,5	
	Log Pow	( 20 °C )		not determined	
	Viscosity :	( 20 °C )	approx.	36	mPa.s
	Odour threshold :			not determined	
	Evaporation rate			Data not available	
	Oxidizing properties			Not oxidising	
9.2	Other information				

None

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No information available.

#### 10.2 Chemical stability

Decomposes on heating. See section 7. No additional measures necessary.

## 10.3 Possibility of hazardous reactions

## None particular

**10.4 Conditions to avoid** Do not expose this product to high temperatures.

#### 10.5 Incompatible materials

May react violently with strong acids. Oxidizing agents.

#### **10.6 Hazardous decomposition products**

Carbon monoxide Nitrogen oxides (NOx) Carbon dioxide (CO2)

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute effects

Acute oral toxicity Parameter :

Exposure route : Species : Effective dose : LD50 ( HEXADECYLDIMETHYLAMINE ; CAS No. : 112-69-6 ) Oral Rat = 1015 mg/kg

#### Irritant and corrosive effects

**Primary irritation to the skin** Corrosive.

#### Irritation to eyes

Causes serious eye damage.



Trade name : Revision date : Print date : SYNTECH HAG ECO Comp B 14.11.2019 14.11.2019

Version :

1.0.0

Irritation to respiratory tract Not an irritant. Sensitisation In case of skin contact not sensitising. In case of inhalation not sensitising.

#### Repeated dose toxicity (subacute, subchronic, chronic)

There were no chronic effects or effects at low concentrations.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

This substance does not meet the criteria for classification as CMR category according to CLP.

#### **SECTION 12: Ecological information**

Do not allow uncontrolled discharge of product into the environment.

#### 12.1 Toxicity

Aquatic toxicity	
Acute (short-term) daphnia	a toxicity
Parameter :	EC50 (HEXADECYLDIMETHYLAMINE ; CAS No. : 112-69-6 )
Species :	Daphnia magna (Big water flea)
Effective dose :	66,5 µg/l
Exposure time :	48 h
Acute (short-term) algae to	oxicity
Parameter :	EC50 (HEXADECYLDIMETHYLAMINE ; CAS No. : 112-69-6 )
Species :	Desmodesmus subspicatus
Effective dose :	9,9 µg/l
Exposure time :	72 h
12.2 Persistence and degrad	ability
No information available.	
12.3 Bioaccumulative potent	tial
No information available.	
12.4 Mobility in soil	
No information available.	
12.5 Results of PBT and vPvl	D
No information available.	b assessment
12.6 Other adverse effects	
No information available.	
12.7 Additional ecotoxicolog	ical information
None	
SECTION 13: Disposal consid	derations
13.1 Waste treatment metho	ods
Product/Packaging dis	snosal
Dispose according to legislation	-
	-li

## SECTION 14: Transport information

#### 14.1 UN number



1.0.0

Trade name :	SYNTECH HAG ECO Comp B		
Revision date :	14.11.2019	Version :	1
Print date :	14.11.2019		

UN 2735	
14.2 UN proper shipping name	
Land transport (ADR/RID)	
	( HEXADECYLDIMETHYLAMINE · DIMETHYL(TETRADECYL)AMINE )
	(HEXADECYLDIMETHYLAMINE · DIMETHYL(TETRADECYL)AMINE · DIMANTINE )
Air transport (ICAO-TI / IATA-DGF	
	( HEXADECYLDIMETHYLAMINE · DIMETHYL(TETRADECYL)AMINE )
14.3 Transport hazard class(es)	
Land transport (ADR/RID)	
Class(es) :	8
Classification code :	C7
Hazard identification number (Kem	
No.):	88
Tunnel restriction code :	E
Special provisions : Hazard label(s) :	LQ0·E0
	8 / N
Sea transport (IMDG)	
Class(es) :	8
EmS-No. :	F-A / <u>S-B</u>
Special provisions :	LQO·EO
Hazard label(s) :	8 / N
Air transport (ICAO-TI / IATA-DGF	-
Class(es) :	8
Special provisions :	EO
Hazard label(s) :	8
14.4 Packing group	
II	
14.5 Environmental hazards Land transport (ADR/RID) : Yes Sea transport (IMDG) : Yes (P)	
Air transport (ICAO-TI / IATA-DGF	R): Yes
14.6 Special precautions for user None	
	to Annex II of Marpol and the IBC Code
SECTION 15: Regulatory informa	tion

# <sup>15.1</sup> Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

Regulation (EC) 1907/2006 (REACh).

Regulation (EC) No 1272/2008 (CLP).

Regulation (EU) 2015/830 requirements for the compilation of safety data sheets.

Amendings, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008: Commission Regulation (EC) No 790/2009 (I ATP). Commission Regulation (EU) No 286/2011(II ATP). Commission Regulation (EU) No 618/2012 (III ATP). Commission Regulation (EU) No 487/2013 (IV ATP). Commission Regulation (EU) No 944/2013 (V ATP). Commission Regulation (EU) No 605/2014 (VI ATP). Commission Regulation (EU) No 1297/2014 (VII ATP). Commission Regulation (EU) No 2015/1221 (VIII ATP). Commission Regulation (EU) No 2016/1179 (IX ATP). Commission Regulation 2017/776 (EU) No (X ATP).



Trade name : Revision date : Print date : SYNTECH HAG ECO Comp B 14.11.2019 14.11.2019

Version :

1.0.0

#### Other regulations (EU)

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Classification according to Annex I, Part 1 E1 Hazardous to the aquatic environment in Category Acute 1 or Chronic 1 **Regulation (CE) 1907/2006: Substance of very high concern included in the SVHC Candidate List** 

#### None National regulations

Italy: Legislative Decree 81/2008 (Consolidated Law on protection of health and safety at work), as amended and Directive 2009/161/UE - chemical risk assessment in accordance with Title IX

#### Water hazard class (WGK)

Class : nwg (Non-hazardous to water) Classification according to VwVwS

#### 15.2 Chemical safety assessment

not applicable

#### **SECTION 16: Other information**

#### 16.1 Indication of changes

None

#### 16.2 Abbreviations and acronyms

#### LEGENDA:

ADR:	Accord européen relative au transport international des marchandises dangereuses par route (accordo
	europeo relativo al trasporto internazionale delle merci pericolose su strada)
ASTM:	ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)
EINECS:	European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze chimiche in Commercio)
EC(0/50/100):	Effective Concentration 0/50/100 (Concentrazione Effettiva Massima per 0/50100% degli Individui)
LC(0/50/100):	Lethal Concentration 0/50/100 (Concentrazione Letale per 0/50100% degli Individui)
IC50:	Inhibitor Concentration 50 (Concentrazione Inibente per il 50% degli Individui)
NOEL:	No Observed Effect Level (Dose massima senza effetti)
NOEC:	No Observed Effect Concentration (Concentrazione massima senza effetti)
LOEC:	Lowest Observed Effect Concentration (Concentrazione massima alla quale è possibile evidenziare un effetto)
DNEL:	Derived No Effect Level (Dose derivata di non effetto)
DMEL:	Derived Minimum Effect Level (Dose derivata di minimo effetto)
CLP:	Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio)
CSR:	Rapporto sulla Sicurezza Chimica (Chemical Safety Report)
LD(0/50/100):	Lethal Dose 0/50/100 (Dose Letale per 0/50/100% degli Individui)
IATA:	International Air Transport Association (Associazione Internazionale del Trasporto Aereo)
ICAO:	International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)
Codice IMDG:	International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Marittimo)
PBT:	Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche)
RID:	Règlement concernent le transport International ferroviaire des marchandises Dangereuses (Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)
STEL:	Short term exposure limit (limite di esposizione a breve termine)
TLV:	Threshold limit value (soglia di valore limite)
TWA:	Time Weighted Average (media ponderata nel tempo)
UE:	Unione Europea
vPvB:	Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)
N.D.:	Non disponibile.
N.A.:	Non applicabile
AwSV.:	Ordinance on facilities for handling substances that are hazardous to water (Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV))
PNEC:	Predicted No Effect Concentration
PNOS:	Particulates not Otherwise Specified



Trade name :	SYNTECH HAG ECO Comp B		
Revision date :	14.11.2019	Version :	1.0.0
Print date :	14.11.2019		

BOD:	Biochemical Oxygen Demand
COD:	Chemical Oxygen Demand
BCF:	BioConcentration Factor
TRGS :	Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The Federal Institute for Occupational Safety and Health, Germany
LCLo:	Lethal Concentration Low (La minima concentrazione letale)
ThOD:	Theoretical Oxygen Demand
16.3 Key lite	erature references and sources for data
None	
Classit	cation for mixtures and used evaluation method according to regulation
	cation for mixtures and used evaluation method according to regulation o 1272/2008 [CLP] d.
calculate	<b>b 1272/2008 [CLP]</b> d.
calculate	o 1272/2008 [CLP]
16.4 (EC) N calculate 16.5 Releva	o 1272/2008 [CLP] <sup>d.</sup> nt H- and EUH-phrases (Number and full text)
<b>16.4 (EC) N</b> calculate <b>16.5 Releva</b> H302	b 1272/2008 [CLP] d. nt H- and EUH-phrases (Number and full text) Harmful if swallowed.
<b>16.4 (EC) N</b> calculate <b>16.5 Releva</b> H302 H314	b 1272/2008 [CLP] d. nt H- and EUH-phrases (Number and full text) Harmful if swallowed. Causes severe skin burns and eye damage.
<b>16.4</b> (EC) N calculate <b>16.5 Releva</b> H302 H314 H400	b 1272/2008 [CLP] d. nt H- and EUH-phrases (Number and full text) Harmful if swallowed. Causes severe skin burns and eye damage. Very toxic to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
<b>16.4</b> (EC) N calculate <b>16.5 Releva</b> H302 H314 H400 H410	b 1272/2008 [CLP] d. nt H- and EUH-phrases (Number and full text) Harmful if swallowed. Causes severe skin burns and eye damage. Very toxic to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
16.4 (EC) N calculate 16.5 Releva H302 H314 H400 H410 16.6 Trainin None	b 1272/2008 [CLP] d. nt H- and EUH-phrases (Number and full text) Harmful if swallowed. Causes severe skin burns and eye damage. Very toxic to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.