according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX MUFFA REMOVER

Revision date: 31.01.2019 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 31.01.2019

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

CONSILEX MUFFA REMOVER

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Transparent, ready-to-use cleaning agent, for the safe removal of scale blackish incrustations and biodeteriogenic manifestations

Uses advised against

Uses different from those above mentioned.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

AZICHEM Srl

Street: Via G. Gentile16/A

Postal code/city: 46044 Goito (MN) **Telephone:** +390376604185/604365

Telefax: +39 0376 604398

Information contact: info@azichem.com

1.4 Emergency telephone number

Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) (24h)

Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia) Centro Antiveleni di Bergamo 800 883300 (CAV Ospedali Riuniti - Bergamo) Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze) Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Gemelli - Roma)

Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberto I - Roma) Centro Antiveleni di Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Irrit. 2; H319 - Serious eye damage/eye irritation: Category 2; Causes serious eye irritation. Skin Irrit. 2; H315 - Skin corrosion/irritation: Category 2; Causes skin irritation.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms



Exclamation mark (GHS07)

Signal word

Warning

Hazard statements

H315 Causes skin irritation. H319 Causes serious eye irritation.

Precautionary statements

Page: 1/9

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX MUFFA REMOVER

Revision date: 31.01.2019 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 31.01.2019

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water/....

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES; EC No.: 270-325-2; CAS No.:

68424-85-1

Weight fraction : $\geq 1 - < 3 \%$

Classification 1272/2008 [CLP]: Skin Corr. 1B; H314 Acute Tox. 4; H302 Acute Tox. 4; H312 Aquatic Acute 1;

H400 (M=10)

Additional information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove victim out of the danger area. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

In case of skin contact

Wash immediately with: Water Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

4.2 Most important symptoms and effects, both acute and delayed

Irritation to eyes Primary irritation to the skin

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder alcohol resistant foam Carbon dioxide (CO2) Water mist

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

not applicable

5.3 Advice for firefighters

Page: 2 / 9

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX MUFFA REMOVER

Revision date: 31.01.2019 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 31.01.2019

Remove persons to safety.

Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use appropriate respiratory protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately. Wear a self-contained breathing apparatus and chemical protective clothing.

For non-emergency personnel

Remove persons to safety.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

For cleaning up

The contaminated area should be cleaned up immediately with: Water Retain contaminated washing water and dispose it.

6.4 Reference to other sections

Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8

SECTION 7: Handling and storage



7.1 Precautions for safe handling

Protective measures

Specific requirements or handling rules

Do not breathe dust. Do not breathe gas/fumes/vapour/spray. See section 8.

Advices on general occupational hygiene

Normal precautions taken when handling chemicals should be observed.

7.2 Conditions for safe storage, including any incompatibilities

Only use containers specifically approved for the substance/product.

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Protect against UV-radiation/sunlight Humidity.

Hints on joint storage

Storage class: 12

Storage class (TRGS 510): 12

Keep away from

Store at least 3 metres apart from: Chemicals/products that react together readily

Further information on storage conditions

Keep container tightly closed and in a well-ventilated place.

7.3 Specific end use(s)

None

Page: 3 / 9

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX MUFFA REMOVER

Revision date: 31.01.2019 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 31.01.2019

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls

Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Personal protection equipment





When using do not eat, drink, smoke, sniff.

Eye/face protection

Suitable eye protection

Eye glasses with side protection DIN EN 166

Skin protection

Hand protection

Aspect

Tested protective gloves must be worn DIN EN 374

Suitable material: Butyl caoutchouc (butyl rubber) NBR (Nitrile rubber) PVC (Polyvinyl chloride)

liquid

Respiratory protection

Usually no personal respirative protection necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Safety relevant basis data

Aspect			iiquiu	
Colour			colourless	
Odour			none	
Melting point/melting range :	(1013 hPa)	<	0	°C
Vapour density	((air = 1))		Data not available	
Initial boiling point and boiling range:	(1013 hPa)	>	100	°C
Decomposition temperature :			No data available	
Self flammability			Not selfigniting	
Flash point :			Not flammable	
Flammability (solid, gas)			Data not available	
Lower explosion limit :			No data available	
Upper explosion limit :			No data available	
Explosive properties			Data not available	
Vapour pressure	(20 °C)	approx.	23,5	hPa
Density:	(20 °C)	approx.	1,032	g/cm³
Density:	(23 °C)		No data available	
Water solubility:	(20 °C)		miscibility	
pH:		approx.	8	
Log Pow	(20 °C)		Not available	
Viscosity:	(20 °C)		1,35	mPa.s
Viscosity:	(23 °C)		No data available	
Odour threshold			Data not available	

Page: 4/9

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX MUFFA REMOVER

Revision date: 31.01.2019 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 31.01.2019

Evaporation rate Data not available
Oxidizing properties Not oxidising

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is stable.

10.2 Chemical stability

Stable under recommended storage and handling conditions. See section 7. No additional measures necessary.

10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled properly.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

None

10.6 Hazardous decomposition products

None

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity

Parameter: LD50 (QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL,

CHLORIDES ; CAS No. : 68424-85-1)

Exposure route: Oral
Species: Rat
Effective dose: 397,5 mg/kg
Method: OECD 401

Acute dermal toxicity

Parameter: LD50 (QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL,

CHLORIDES; CAS No.: 68424-85-1)

Exposure route: Dermal
Species: Rat
Effective dose: 1100 mg/kg

Irritant and corrosive effects

Primary irritation to the skin

Irritant.

Irritation to eyes

Irritant.

Irritation to respiratory tract

Not an irritant.

Sensitisation

In case of skin contact

No known sensitizing effect.

In case of inhalation

No known sensitizing effect.

Repeated dose toxicity (subacute, subchronic, chronic)

Page: 5 / 9

(EN/D)

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX MUFFA REMOVER

Revision date: 31.01.2019 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 31.01.2019

Chronic inhalation toxicity

None

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The ingredients in this mixture do not meet the criteria for classification as CMR according to CLP.

SECTION 12: Ecological information

Do not allow uncontrolled discharge of product into the environment.

12.1 Toxicity

Aquatic toxicity

No data available

Acute (short-term) fish toxicity

Parameter: LC50 (QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL,

CHLORIDES ; CAS No. : 68424-85-1)

Species: Pimephales promelas (fathead minnow)

Effective dose: 0,28 mg/l Exposure time: 96 h
Acute (short-term) daphnia toxicity

Parameter: EC50 (QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL,

CHLORIDES; CAS No.: 68424-85-1)

Species : Daphnia Effective dose : = 0.01 mg/l

Acute (short-term) algae toxicity

Parameter: EC50 (QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL,

CHLORIDES; CAS No.: 68424-85-1)

Species: Pseudokirchneriella subcapitata

Effective dose : 0,049 mg/l Exposure time : 72 h

12.2 Persistence and degradability

Readily biodegradable (according to OECD criteria).

Biodegradation

Parameter: Biodegradation (QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-

ALKYLDIMETHYL, CHLORIDES; CAS No.: 68424-85-1)

Effective dose: approx. 89 % Exposure time: 28 days

Method: OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C

12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This product is none, or does not contain a substance called a PBT or vPvB

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

None

SECTION 13: Disposal considerations

13.1 Waste treatment methods Product/Packaging disposal

Page: 6 / 9

(EN/D)

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX MUFFA REMOVER

Revision date: 31.01.2019 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 31.01.2019

Dispose according to legislation.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) 1907/2006 (REACh).

Regulation (EC) No 1272/2008 (CLP).

Regulation (EU) 2015/830 requirements for the compilation of safety data sheets.

Amendings, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008: Commission Regulation (EC) No 790/2009 (I ATP). Commission Regulation (EU) No 286/2011(II ATP). Commission Regulation (EU) No 618/2012 (III ATP). Commission Regulation (EU) No 487/2013 (IV ATP). Commission Regulation (EU) No 944/2013 (V ATP). Commission Regulation (EU) No 605/2014 (VI ATP). Commission Regulation (EU) No 1297/2014 (VII ATP). Commission Regulation (EU) No 2015/1221 (VIII ATP). Commission Regulation (EU) No 2016/1179 (IX ATP). Commission Regulation 2017/776 (EU) No (X ATP).

Other regulations (EU)

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] This product is not classified according to Directive 2012/18/EU.

Regulation (CE) 1907/2006: Substance of very high concern included in the SVHC Candidate List None

National regulations

Italy: Legislative Decree 81/2008 (Consolidated Law on protection of health and safety at work), as amended and Directive 2009/161/UE - chemical risk assessment in accordance with Title IX

Water hazard class (WGK)

Class: nwg (Non-hazardous to water) Classification according to VwVwS

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 03. Hazardous ingredients · 14. UN proper shipping name - Land transport (ADR/RID) · 14. UN proper shipping name - Sea

Page: 7 / 9

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX MUFFA REMOVER

Revision date: 31.01.2019 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 31.01.2019

transport (IMDG) \cdot 14. UN proper shipping name - Air transport (ICAO-TI / IATA-DGR) \cdot 14. Transport hazard class(es) - Land transport (ADR/RID) \cdot 14. Transport hazard class(es) - Sea transport (IMDG) \cdot 14. Transport hazard class(es) - Air transport (ICAO-TI / IATA-DGR)

16.2 Abbreviations and acronyms

LEGENDA:

ADR: Accord européen relative au transport international des marchandises dangereuses par route (accordo

europeo relativo al trasporto internazionale delle merci pericolose su strada)

ASTM: ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)
EINECS: European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze

chimiche in Commercio)

EC(0/50/100): Effective Concentration 0/50/100 (Concentrazione Effettiva Massima per 0/50100% degli Individui)

LC(0/50/100): Lethal Concentration 0/50/100 (Concentrazione Letale per 0/50100% degli Individui)
IC50: Inhibitor Concentration 50 (Concentrazione Inibente per il 50% degli Individui)

NOEL: No Observed Effect Level (Dose massima senza effetti)

NOEC: No Observed Effect Concentration (Concentrazione massima senza effetti)

LOEC: Lowest Observed Effect Concentration (Concentrazione massima alla quale è possibile evidenziare un

effetto)

DNEL: Derived No Effect Level (Dose derivata di non effetto)

DMEL: Derived Minimum Effect Level (Dose derivata di minimo effetto)

CLP: Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio)

CSR: Rapporto sulla Sicurezza Chimica (Chemical Safety Report)
LD(0/50/100): Lethal Dose 0/50/100 (Dose Letale per 0/50/100% degli Individui)

IATA: International Air Transport Association (Associazione Internazionale del Trasporto Aereo)
ICAO: International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)
Codice IMDG: International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Maritimo)

PBT: Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche)
RID: Règlement concernent le transport International ferroviaire des marchandises Dangereuses

(Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)

STEL: Short term exposure limit (limite di esposizione a breve termine)

TLV: Threshold limit value (soglia di valore limite)

TWA: Time Weighted Average (media ponderata nel tempo)

UE: Unione Europea

vPvB: Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)

N.D.: Non disponibile. N.A.: Non applicabile

AwSV.: Ordinance on facilities for handling substances that are hazardous to water (Verordnung über Anlagen

zum Umgang mit wassergefährdenden Stoffen (AwSV))

PNEC: Predicted No Effect Concentration
PNOS: Particulates not Otherwise Specified
BOD: Biochemical Oxygen Demand
COD: Chemical Oxygen Demand
BCF: BioConcentration Factor

TRGS: Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The

Federal Institute for Occupational Safety and Health, Germany

LCLo: Lethal Concentration Low (La minima concentrazione letale)

ThOD: Theoretical Oxygen Demand

16.3 Key literature references and sources for data

None

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

calculated.

16.5 Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed. H311 Toxic in contact with skin.

Page: 8 / 9

(EN/D)

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX MUFFA REMOVER

Revision date: 31.01.2019 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 31.01.2019

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 9 / 9