# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX BARRIER-A

**Revision date:** 10.05.2017 **Version (Revision):** 2.0.0 (1.0.0)

**Print date :** 14.05.2017

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

CONSTLEX BARRIER-A

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Preparation for building and construction: Water-repellent, water-repellent, water-emulsion, for anti-hyaluretic barriers.

# 1.3 Details of the supplier of the safety data sheet

# Supplier (manufacturer/importer/only representative/downstream user/distributor)

AZICHEM Srl

Street: Via G. Gentile16/A

**Postal code/city:** 46044 Goito (MN) **Telephone:** +390376604185/604365

**Telefax:** +39 0376 604398

Information contact: info@azichem.com

## 1.4 Emergency telephone number

Centro Antiveleni di Milano +39 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) (24h)

Centro Antiveleni di Pavia +39 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia) Centro Antiveleni di Bergamo +39 800 883300 (CAV Ospedali Riuniti - Bergamo) Centro Antiveleni di Firenze +39 055 7947819 (CAV Ospedale Careggi - Firenze) Centro Antiveleni di Roma +39 06 3054343 (CAV Policlinico Gemelli - Roma) Centro Antiveleni di Roma +39 06 49978000 (CAV Policlinico Umberto I - Roma) Centro Antiveleni di Napoli +39 081 7472870 (CAV Ospedale Cardarelli - Napoli)

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Dam. 1; H318 - Serious eye damage/eye irritation: Category 1; Causes serious eye damage. Skin Irrit. 2; H315 - Skin corrosion/irritation: Category 2; Causes skin irritation.

#### 2.2 Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### **Hazard pictograms**



Corrosion (GHS05)

# Signal word

Danger

### Hazard components for labelling

POTASSIUM METHYLSILANETRIOLATE; CAS No.: 31795-24-1

### **Hazard statements**

H318 Causes serious eye damage. H315 Causes skin irritation.

# **Precautionary statements**

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Page: 1/8

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX BARRIER-A

**Revision date:** 10.05.2017 **Version (Revision):** 2.0.0 (1.0.0)

**Print date:** 14.05.2017

P310 Immediately call a POISON CENTER/doctor

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of water/....

#### 2.3 Other hazards

None

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

## **Hazardous ingredients**

POTASSIUM METHYLSILANETRIOLATE; EC No.: 250-807-9; CAS No.: 31795-24-1

Weight fraction :  $\geq 1 - < 5 \%$ 

Classification 1272/2008 [CLP]: Skin Corr. 1A; H314 Eye Dam. 1; H318

**Additional information** 

Full text of H- and EUH-statements: see section 16.

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

When in doubt or if symptoms are observed, get medical advice.

# **Following inhalation**

Remove victim out of the danger area. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

#### In case of skin contact

Wash immediately with: Water Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.

### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

### After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

### 4.2 Most important symptoms and effects, both acute and delayed

Primary irritation to the skin Risk of serious damage to eyes.

# 4.3 Indication of any immediate medical attention and special treatment needed

None

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Extinguishing powder alcohol resistant foam Carbon dioxide (CO2) Water mist

# 5.2 Special hazards arising from the substance or mixture

None

### 5.3 Advice for firefighters

Remove persons to safety.

# Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use appropriate respiratory protection.

Page: 2 / 8

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX BARRIER-A

**Revision date:** 10.05.2017 **Version (Revision):** 2.0.0 (1.0.0)

**Print date :** 14.05.2017

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately. Wear a self-contained breathing apparatus and chemical protective clothing.

## For non-emergency personnel

Remove persons to safety.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

# 6.3 Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

#### For cleaning up

The contaminated area should be cleaned up immediately with: Water Retain contaminated washing water and dispose it.

# 6.4 Reference to other sections

Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8

# **SECTION 7: Handling and storage**



### 7.1 Precautions for safe handling

### **Protective measures**

#### Specific requirements or handling rules

Do not breathe dust. Do not breathe gas/fumes/vapour/spray. See section 8.

## Advices on general occupational hygiene

Normal precautions taken when handling chemicals should be observed.

### 7.2 Conditions for safe storage, including any incompatibilities

Only use containers specifically approved for the substance/product.

# Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Protect against UV-radiation/sunlight Humidity.

# Hints on joint storage

Storage class: 12

Storage class (TRGS 510): 12

Keep away from

Store at least 3 metres apart from: Chemicals/products that react together readily

### **Further information on storage conditions**

Keep container tightly closed and in a well-ventilated place.

# 7.3 Specific end use(s)

None

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Page: 3 / 8

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX BARRIER-A

**Revision date :** 10.05.2017 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 14.05.2017

None

### 8.2 Exposure controls

### **Appropriate engineering controls**

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

# **Personal protection equipment**





When using do not eat, drink, smoke, sniff.

# **Eye/face protection**

**Suitable eye protection** 

Eye glasses with side protection DIN EN 166

### **Skin protection**

**Hand protection** 

Tested protective gloves must be worn DIN EN 374

### **Respiratory protection**

Non necessario.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties Safety relevant basis data

Aspect			opalescent liquid	
Colour			white to off-white	
Odour			No data available	
Melting point/melting range :	( 1013 hPa )	<	0	°C
Vapour density	( (air = 1) )		Data not available	
Initial boiling point and boiling range:	( 1013 hPa )	>	100	°C
Decomposition temperature :			No data available	
Self flammability			Not selfigniting	
Flash point :			Not flammable	
Flammability (solid, gas)			Not applicable	
Lower explosion limit :			No data available	
Upper explosion limit :			No data available	
Explosive properties			Data not available	
Vapour pressure	( 20 °C )		No data available	
Density:	( 20 °C )	approx.	1	g/cm³
Water solubility :	( 20 °C )		miscibility	
Soluble in:	( 20 °C )		No data available	
pH:			No data available	
Log Pow	( 20 °C )		Not available	
Viscosity:	( 20 °C )		No data available	
Odour threshold			Data not available	
Evaporation rate			Data not available	
Maximum VOC content (EC):			0	Wt %

# 9.2 Other information

**Oxidizing properties** 

None

Page: 4/8

Not oxidising

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX BARRIER-A

**Revision date:** 10.05.2017 **Version (Revision):** 2.0.0 (1.0.0)

**Print date:** 14.05.2017

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Diminished responsiveness

### 10.2 Chemical stability

Stable under recommended storage and handling conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled properly.

### 10.4 Conditions to avoid

None known.

### 10.5 Incompatible materials

None known.

## 10.6 Hazardous decomposition products

No hazardous decomposition products if handled and storaged as request.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute effects**

#### **Acute oral toxicity**

Parameter: LD50 ( POTASSIUM METHYLSILANETRIOLATE ; CAS No. : 31795-24-1 )

Exposure route : Oral Species : Rat

Effective dose: > 2000 mg/kg

### **Irritant and corrosive effects**

### Primary irritation to the skin

Irritant.

#### **Irritation to eyes**

Risk of serious damage to eyes.

### Irritation to respiratory tract

Not irritating to respiratory system.

### **Sensitisation**

not sensitising.

# Repeated dose toxicity (subacute, subchronic, chronic)

There were no chronic effects or effects at low concentrations.

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The ingredients in this mixture do not meet the criteria for classification as CMR according to CLP.

# **SECTION 12: Ecological information**

Do not allow uncontrolled discharge of product into the environment.

### 12.1 Toxicity

No ecotoxic effects are known for this product.

# 12.2 Persistence and degradability

Poorly biodegradable.

# 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

Page: 5 / 8

(EN/D)

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX BARRIER-A

**Revision date:** 10.05.2017 **Version (Revision):** 2.0.0 (1.0.0)

**Print date :** 14.05.2017

Low solubility in soil.

#### 12.5 Results of PBT and vPvB assessment

This product is none, or does not contain a substance called a PBT or vPvB

#### 12.6 Other adverse effects

No information available.

### 12.7 Additional ecotoxicological information

None

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

# **Product/Packaging disposal**

Dispose according to legislation.

### **SECTION 14: Transport information**

### 14.1 UN number

No dangerous good in sense of these transport regulations.

# 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

### 14.4 Packing group

No dangerous good in sense of these transport regulations.

# 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU legislation**

Regulation (EC) 1907/2006/CE (REACh). Regulation (EC) No 1272/2008 (CLP). Regulation (EU) 2015/830 requirements for the compilation of safety data sheets. Commission Regulation (EC) No 790/2009/CE (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 286/2011 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 618/2012 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 487/2013 (amending, for the purposes of its adaptation (EU) No 758/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 944/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 605/2014 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EC) No 1272/2008). Regulation (EC) No 1272/2008). Regulation (EC) No 1272/2008). Regulation (EC) No 1272/2008). Regulation (EC) No 1272/2008).

Other regulations (EU)

Page: 6 / 8

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX BARRIER-A

**Revision date:** 10.05.2017 **Version (Revision):** 2.0.0 (1.0.0)

**Print date :** 14.05.2017

#### Regulation (CE) 1907/2006: Substance of very high concern included in the SVHC Candidate List

None

#### National regulations

Italy: Legislative Decree 81/2008 (Consolidated Law on protection of health and safety at work), as amended and Directive 2009/161/UE - chemical risk assessment in accordance with Title IX

#### Water hazard class (WGK)

Class: nwg (Non-hazardous to water) Classification according to VwVwS

#### 15.2 Chemical safety assessment

not applicable

### **SECTION 16: Other information**

### 16.1 Indication of changes

02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling · 03. Hazardous ingredients

# 16.2 Abbreviations and acronyms

LEGENDA:

ADR: Accord européen relative au transport international des marchandises dangereuses par route (accordo

europeo relativo al trasporto internazionale delle merci pericolose su strada)

ASTM: ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)

EINECS: European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze

chimiche in Commercio)

EC(0/50/100): Effective Concentration 0/50/100 (Concentrazione Effettiva Massima per 0/50100% degli Individui)

LC(0/50/100): Lethal Concentration 0/50/100 (Concentrazione Letale per 0/50100% degli Individui) IC50: Inhibitor Concentration 50 (Concentrazione Inibente per il 50% degli Individui)

NOEL: No Observed Effect Level (Dose massima senza effetti)

NOEC: No Observed Effect Concentration (Concentrazione massima senza effetti)

LOEC: Lowest Observed Effect Concentration (Concentrazione massima alla quale è possibile evidenziare un

effetto)

DNEL: Derived No Effect Level (Dose derivata di non effetto)

DMEL: Derived Minimum Effect Level (Dose derivata di minimo effetto)

CLP: Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio)

CSR: Rapporto sulla Sicurezza Chimica (Chemical Safety Report)
LD(0/50/100): Lethal Dose 0/50/100 (Dose Letale per 0/50/100% degli Individui)

IATA: International Air Transport Association (Associazione Internazionale del Trasporto Aereo)
ICAO: International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)
Codice IMDG: International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Marittimo)

PBT: Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche)

RiD: Règlement concernent le transport International ferroviaire des marchandises Dangereuses (Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)

STEL: Short term exposure limit (limite di esposizione a breve termine)

TLV: Threshold limit value (soglia di valore limite)

TWA: Time Weighted Average (media ponderata nel tempo)

UE: Unione Europea

vPvB: Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)

N.D.: Non disponibile. N.A.: Non applicabile

VwVwS.: Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water

Hazard Classes (Verwaltungsvorschrift wassergefährdende Stoffe – VwVwS)

PNEC: Predicted No Effect Concentration
PNOS: Particulates not Otherwise Specified
BOD: Biochemical Oxygen Demand
COD: Chemical Oxygen Demand
BCF: BioConcentration Factor

Page: 7 / 8

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX BARRIER-A

**Revision date:** 10.05.2017 **Version (Revision):** 2.0.0 (1.0.0)

**Print date:** 14.05.2017

TRGS: Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The

Federal Institute for Occupational Safety and Health, Germany Lethal Concentration Low (La minima concentrazione letale)

ThOD: Theoretical Oxygen Demand

# 16.3 Key literature references and sources for data

None

LCLo:

# 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

calculated

# 16.5 Relevant H- and EUH-phrases (Number and full text)

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation. H318 Causes serious eye damage.

## 16.6 Training advice

None

#### 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 8 / 8