

Trade name : Revision date : Print date : REPAR TIX HG SB 14.05.2019 09.12.2020

Version (Revision) :

2.1.0 (2.0.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

REPAR TIX HG SB

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Building and construction preparation: Rheoplastic cement mortar, composite, fiber-reinforced, high content of alkaline resistant fibers and microsilicate.

1.3 Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream

user/distributor)

AZICHEM Srl

Street : Via G. Gentile16/A

Postal code/city: 46044 Goito (MN)

Telephone : +390376604185/604365

Telefax : +39 0376 604398

Information contact : info@azichem.com

1.4 Emergency telephone number

Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) (24h) Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia) Centro Antiveleni di Bergamo 800 883300 (CAV Ospedali Riuniti - Bergamo) Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze) Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Gemelli - Roma) Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberto I - Roma) Centro Antiveleni di Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage.

Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation.
Skin Sens. 1 ; H317 - Skin sensitisation : Category 1 ; May cause an allergic skin reaction.
STOT SE 3 ; H335 - STOT-single exposure : Category 3 ; May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms



Corrosion (GHS05) · Exclamation mark (GHS07) Signal word Danger Hazard components for labelling CEMENT, PORTLAND, CHEMICALS ; CAS No. : 65997-15-1 Hazard statements H318 Causes serious eye damage.



Trade name : Revision date : Print date :	REPAR TIX HG SB 14.05.2019 09.12.2020	Version (Revision) :	2.1.0 (2.0.0)
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H335	May cause respiratory irritation.		
Precautionary state	ements		
P261	Avoid breathing dust/fume/gas/mist	/vapours/spray.	
P264	Wash hands thoroughly after handling	ng.	
P280	Wear protective gloves/protective clo	othing/eye protection/face protection.	
P302+P352	IF ON SKIN: Wash with plenty of wa	ter	
P333+P313	If skin irritation or rash occurs: Get i	medical advice/attention.	
P305+P351+P338	IF IN EYES: Rinse cautiously with wa	ater for several minutes. Remove contact	lenses, if present

P310 Immediately call a POISON CENTER/doctor

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

CEMENT, PORTLAND, CHEMICALS ; EC No. : 266-043-4; CAS No. : 65997-15-1 Weight fraction : Classification 1272/2008 [CLP] :

≥ 30 - < 40 %

and easy to do. Continue rinsing.

Eye Dam. 1 ; H318 Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 STOT SE 3 ; H335

Additional information

Full text of H- and FUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove victim out of the danger area. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

In case of skin contact

May cause an allergic skin reaction. Wash immediately with: Water Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

4.2 Most important symptoms and effects, both acute and delayed

On contact with moist skin may cause thickening, cracking and cracking of the skin. Prolonged contact in combination with existing abrasions can cause burns. Direct contact with the product may cause corneal injury due to mechanical stress, immediate or delayed irritation or inflammation. The direct contact with large quantities of product dry or with projections of wet product can cause effects ranging from irritation ocular moderate (eg. Conjunctivitis or blepharitis) to chemical burns and blindness. Dust may irritate throat and respiratory system. Coughing, sneezing and panting may occur as a result of exposure above the occupational exposure limits. May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed None



Trade name : Revision date : Print date : REPAR TIX HG SB 14.05.2019 09.12.2020

Version (Revision) :

2.1.0 (2.0.0)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder alcohol resistant foam Carbon dioxide (CO2) Water mist

5.2 Special hazards arising from the substance or mixture None

5.3 Advice for firefighters

Remove persons to safety.

Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use appropriate respiratory protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately. Wear a self-contained breathing apparatus and chemical protective clothing.

For non-emergency personnel

Remove persons to safety.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

For cleaning up

The contaminated area should be cleaned up immediately with: Water Retain contaminated washing water and dispose it.

6.4 Reference to other sections

Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8

SECTION 7: Handling and storage



7.1 Precautions for safe handling

Protective measures

Specific requirements or handling rules

Do not breathe dust. Do not breathe gas/fumes/vapour/spray. See section 8.

Advices on general occupational hygiene

Normal precautions taken when handling chemicals should be observed.

7.2 Conditions for safe storage, including any incompatibilities

Only use containers specifically approved for the substance/product.

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Protect against UV-radiation/sunlight Humidity.

Hints on joint storage



Trade name : Revision date : Print date : REPAR TIX HG SB 14.05.2019 09.12.2020

Version (Revision) :

2.1.0 (2.0.0)

Storage class: 13 Storage class (TRGS 510): 13 Keep away from

Store at least 3 metres apart from: Chemicals/products that react together readily

Further information on storage conditions

Keep container tightly closed and in a well-ventilated place.

7.3 Specific end use(s) None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL/DMEL and PNEC values

DNEL/DMEL

Limit value type : Exposure route : Exposure frequency : Limit value : DNEL worker (local) (CEMENT, PORTLAND, CHEMICALS ; CAS No. : 65997-15-1) Inhalation Short-term (acute) 1 mg/m³

8.2 Exposure controls

Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Personal protection equipment



When using do not eat, drink, smoke, sniff.

Eye/face protection

Suitable eye protection Eye glasses with side protection DIN EN 166

Skin protection

Hand protection

Tested protective gloves must be worn DIN EN 374

Respiratory protection

Quarter-face mask (DIN EN 140) Half-face mask (DIN EN 140) Filtering Half-face mask (DIN EN 149)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Safety relevant basis data

	powder
	gray
	none
(1013 hPa)	No data available
((air = 1))	Data not available
(1013 hPa)	No data available
	No data available not applicable
	(1013 hPa) ((air = 1))



Trade name : Revision date : Print date :	REPAR TIX HG SB 14.05.2019 09.12.2020	Version (Revision) :	2.1.0 (2.0.0)
Flash point :		Not flammable	

Flammability (solid, gas)			Data not available	
Lower explosion limit :			No data available	
Upper explosion limit :			No data available	
Explosive properties			Not applicable	
Vapour pressure	(20 °C)		negligible	
Density :	(20 °C)		No data available	
Water solubility :	(20 °C)		almost insoluble	
pH :		>	11	
Log Pow	(20 °C)		not applicable	
Viscosity :	(20 °C)		No data available	
Odour threshold			Data not available	
Evaporation rate			Data not available	
Maximum VOC content (EC) :			0	Wt %
Oxidizing properties			Not oxidising	

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

Basic reaction when in mixed with water before to became a solid inert compound.

10.2 Chemical stability

Stable under recommended storage and handling conditions. See section 7. No additional measures necessary.

10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled properly.

10.4 Conditions to avoid

Protect from contact with water to avoid solidification of the product.

10.5 Incompatible materials

- Acid
- **10.6 Hazardous decomposition products** None

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity

It has no significant toxicity properties.

Acute dermal toxicity

·······	
Parameter :	LD50 (CEMENT, PORTLAND, CHEMICALS ; CAS No. : 65997-15-1)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	> 2000 mg/kg bw/day
Exposure time :	24 days
It has no significant toxicity pro	operties.

Irritant and corrosive effects

Primary irritation to the skin

On contact with moist skin may cause thickening, cracking and cracking of the skin. Prolonged contact in combination with existing abrasions can cause burns.

Irritation to eyes



Trade name :	REPAR TIX HG SB
Revision date :	14.05.2019
Print date :	09.12.2020

Version (Revision) :

2.1.0 (2.0.0)

Direct contact with the product may cause corneal injury due to mechanical stress, immediate or delayed irritation or inflammation. The direct contact with large quantities of product dry or with projections of wet product can cause effects ranging from irritation ocular moderate (eg. Conjunctivitis or blepharitis) to chemical burns and blindness.

Irritation to respiratory tract

Dust may irritate throat and respiratory system. Coughing, sneezing and panting may occur as a result of exposure above the occupational exposure limits.

Sensitisation

In case of skin contact

Eczema can be developed as a result of exposure to dust damp, caused both by the high pH which induces irritant contact dermatitis after prolonged contact, either by an immunological reaction to Cr (VI) soluble which causes allergic contact dermatitis.

In case of inhalation

not sensitising.

Repeated dose toxicity (subacute, subchronic, chronic)

Subacute inhalation toxicity

The available evidence indicates clearly that occupational exposure to cement dust content in the product causes deficits in lung function. However, the evidence available at present are insufficient to establish with certainty the dose-response relationship for these effects.

Chronic inhalation toxicity

There were no chronic effects or effects at low concentrations.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The ingredients in this mixture do not meet the criteria for classification as CMR according to CLP.

SECTION 12: Ecological information

Do not allow uncontrolled discharge of product into the environment.

12.1 **Toxicity**

No information available.

12.2 Persistence and degradability

Poorly watersoluble, inorganic product. Can be mechanically precipitated to a large extent in biological sewage plants.

12.3 Bioaccumulative potential

not applicable 12.4 Mobility in soil

MODILLY IN SOL

Low solubility in soil.

12.5 Results of PBT and vPvB assessment

This product is none, or does not contain a substance called a PBT or vPvB

- **12.6 Other adverse effects** No information available.
- 12.7 Additional ecotoxicological information None

SECTION 13: Disposal considerations

13.1 Waste treatment methods Product/Packaging disposal

Dispose according to legislation.

SECTION 14: Transport information

14.1 UN number



Trade name :	REPAR TIX HG SB
Revision date :	14.05.2019
Print date :	09.12.2020

Version (Revision) :

2.1.0 (2.0.0)

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group No dangerous good in sense of these transport regulations. 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or 15.1 mixture

EU legislation

Regulation (EC) 1907/2006 (REACh).

Regulation (EC) No 1272/2008 (CLP).

Regulation (EU) 2015/830 requirements for the compilation of safety data sheets.

Amendings, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008: Commission Regulation (EC) No 790/2009 (I ATP). Commission Regulation (EU) No 286/2011(II ATP). Commission Regulation (EU) No 618/2012 (III ATP). Commission Regulation (EU) No 487/2013 (IV ATP). Commission Regulation (EU) No 944/2013 (V ATP). Commission Regulation (EU) No 605/2014 (VI ATP). Commission Regulation (EU) No 1297/2014 (VII ATP). Commission Regulation (EU) No 2015/1221 (VIII ATP).

Other regulations (EU)

Regulation (CE) 1907/2006: Substance of very high concern included in the SVHC Candidate List None

National regulations

Italy: Legislative Decree 81/2008 (Consolidated Law on protection of health and safety at work), as amended and Directive 2009/161/UE - chemical risk assessment in accordance with Title IX

Water hazard class (WGK)

Class : nwg (Non-hazardous to water) Classification according to VwVwS

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Indication of changes

02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 15. EU legislation

16.2 Abbreviations and acronyms

LEGENDA:

ADR:	Accord européen relative au transport international des marchandises dangereuses par route (accordo europeo relativo al trasporto internazionale delle merci pericolose su strada)
ASTM:	ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)
EINECS:	European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze chimiche in Commercio)
EC(0/50/100):	Effective Concentration 0/50/100 (Concentrazione Effettiva Massima per 0/50100% degli Individui)
LC(0/50/100):	Lethal Concentration 0/50/100 (Concentrazione Letale per 0/50100% degli Individui)



ade name : evision date : rint date :	REPAR TIX HG SB 14.05.2019 09.12.2020	Version (Revision) :	2.1.0 (2.0.0	
IC50:	Inhibitor Concentration 50 (Concentrazi	one Inibente per il 50% degli Individui)		
NOEL:	No Observed Effect Level (Dose massim	na senza effetti)		
NOEC:	No Observed Effect Concentration (Con	centrazione massima senza effetti)		
LOEC:	Lowest Observed Effect Concentration (effetto)	Concentrazione massima alla quale è possi	bile evidenziare un	
DNEL:	Derived No Effect Level (Dose derivata	-		
DMEL:	Derived Minimum Effect Level (Dose de	,		
CLP:	, , ,	Classificazione, Etichettatura e Imballaggio)	
CSR:	Rapporto sulla Sicurezza Chimica (Chen			
LD(0/50/100):	Lethal Dose 0/50/100 (Dose Letale per			
IATA:	-	(Associazione Internazionale del Trasporto	-	
ICAO:	_	(Organizzazione Internazionale dell'Aviazio	-	
Codice IMDG:	-	s code (Codice sul Regolamento del Traspo		
PBT:		ostanze persistenti bioaccumulabili e tossic	,	
RID:	Règlement concernent le transport International ferroviaire des marchandises Dangereuses (Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)			
STEL:	Short term exposure limit (limite di esp		,	
TLV:	Threshold limit value (soglia di valore li	-		
TWA:	Time Weighted Average (media ponder	-		
UE:	Unione Europea			
vPvB:	Very persistent very bioaccumulative (s	ostanze molto persistenti e molto bioaccum	ulabili)	
N.D.:	Non disponibile.			
N.A.:	Non applicabile			
AwSV.:	Ordinance on facilities for handling sub- zum Umgang mit wassergefährdenden	stances that are hazardous to water (Verord Stoffen (AwSV))	dnung über Anlage	
PNEC:	Predicted No Effect Concentration			
PNOS:	Particulates not Otherwise Specified			
BOD:	Biochemical Oxygen Demand			
COD:	Chemical Oxygen Demand			
BCF:	BioConcentration Factor			
TRGS :		Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The Federal Institute for Occupational Safety and Health, Germany		
LCLo:	Lethal Concentration Low (La minima c	oncentrazione letale)		
ThOD:	Theoretical Oxygen Demand			
16.3 Key lite None	rature references and sources f	or data		
	cation for mixtures and used ev 1272/2008 [CLP]	aluation method according t	o regulation	
16.5 Relevan	t H- and EUH-phrases (Numbe	r and full text)		
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction	on.		
H318	Causes serious eye damage.			
H335	May cause respiratory irritation.			
16.6 Training				
None	,			
	nal information			
None				

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data



Trade name : Revision date : Print date : REPAR TIX HG SB 14.05.2019 09.12.2020

Version (Revision) :

2.1.0 (2.0.0)

sheet is not necessarily valid for the new made-up material.