

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : DISTAK-L  
Revision date : 19.05.2017  
Print date : 19.05.2017

Version (Revision) : 2.0.0 (1.0.0)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

DISTAK-L

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Preparation for building and construction: Emulsifiable anti-adhesive disarming, for wooden casseforms.

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier (manufacturer/importer/only representative/downstream user/distributor)

AZICHEM Srl

Street : Via G. Gentile16/A

Postal code/city : 46044 Goito (MN)

Telephone : +390376604185/604365

Telefax : +39 0376 604398

Information contact : info@azichem.com

#### 1.4 Emergency telephone number

Centro Antiveleni di Milano +39 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) (24h)

Centro Antiveleni di Pavia +39 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia)

Centro Antiveleni di Bergamo +39 800 883300 (CAV Ospedali Riuniti - Bergamo)

Centro Antiveleni di Firenze +39 055 7947819 (CAV Ospedale Careggi - Firenze)

Centro Antiveleni di Roma +39 06 3054343 (CAV Policlinico Gemelli - Roma)

Centro Antiveleni di Roma +39 06 49978000 (CAV Policlinico Umberto I - Roma)

Centro Antiveleni di Napoli +39 081 7472870 (CAV Ospedale Cardarelli - Napoli)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 [CLP]

Aquatic Chronic 3 ; H412 - Hazardous to the aquatic environment : Chronic 3 ; Harmful to aquatic life with long lasting effects.

Asp. Tox. 1 ; H304 - Aspiration hazard : Category 1 ; May be fatal if swallowed and enters airways.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

###### Hazard pictograms



Health hazard (GHS08)

###### Signal word

Danger

###### Hazard components for labelling

NAPHTHA (PETROLEUM), HYDRODESULFURIZED HEAVY ; CAS No. : 64742-82-1

###### Hazard statements

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

###### Precautionary statements

P273 Avoid release to the environment.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : DISTAK-L  
Revision date : 19.05.2017  
Print date : 19.05.2017

Version (Revision) : 2.0.0 (1.0.0)

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...  
P331 Do NOT induce vomiting.

### 2.3 Other hazards

None

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

NAPHTHA (PETROLEUM), HYDRODESULFURIZED HEAVY ; EC No. : 265-185-4; CAS No. : 64742-82-1

Weight fraction :  $\geq 20 - < 25$  %

Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Asp. Tox. 1 ; H304 STOT SE 3 ; H336 Aquatic Chronic 2 ; H411

4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; EC No. : 932-098-4; CAS No. : 127087-87-0

Weight fraction :  $\geq 0,5 - < 1$  %

Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319 Aquatic Chronic 2 ; H411

#### Additional information

Full text of H- and EUH-statements: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

Remove victim out of the danger area. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

#### In case of skin contact

Wash immediately with: Water Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.

#### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

### 4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways. Causes damage to organs through prolonged or repeated exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Extinguishing powder alcohol resistant foam Carbon dioxide (CO<sub>2</sub>) Water mist

### 5.2 Special hazards arising from the substance or mixture

None

### 5.3 Advice for firefighters

Remove persons to safety.

#### Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use appropriate respiratory protection.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : DISTAK-L  
Revision date : 19.05.2017  
Print date : 19.05.2017

Version (Revision) : 2.0.0 (1.0.0)

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately. Wear a self-contained breathing apparatus and chemical protective clothing.

##### For non-emergency personnel

Remove persons to safety.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

##### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

##### For cleaning up

The contaminated area should be cleaned up immediately with: Water Retain contaminated washing water and dispose it.

#### 6.4 Reference to other sections

Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8

### SECTION 7: Handling and storage



#### 7.1 Precautions for safe handling

##### Protective measures

##### Specific requirements or handling rules

Do not breathe dust. Do not breathe gas/fumes/vapour/spray. See section 8.

##### Advices on general occupational hygiene

Normal precautions taken when handling chemicals should be observed.

#### 7.2 Conditions for safe storage, including any incompatibilities

Only use containers specifically approved for the substance/product.

##### Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Protect against UV-radiation/sunlight Humidity.

##### Hints on joint storage

Storage class : 12

Storage class (TRGS 510) : 12

##### Keep away from

Store at least 3 metres apart from: Chemicals/products that react together readily

##### Further information on storage conditions

Keep container tightly closed and in a well-ventilated place.

#### 7.3 Specific end use(s)

None

### SECTION 8: Exposure controls/personal protection

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : DISTAK-L  
Revision date : 19.05.2017  
Print date : 19.05.2017

Version (Revision) : 2.0.0 (1.0.0)

## 8.1 Control parameters

None

## 8.2 Exposure controls

### Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

### Personal protection equipment



When using do not eat, drink, smoke, sniff.

#### Eye/face protection

##### Suitable eye protection

Eye glasses with side protection

#### Skin protection

##### Hand protection

Tested protective gloves must be worn

#### Respiratory protection

Full-/half-/quarter-face masks (DIN EN 136/140) Filter type: A

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Safety relevant basis data

Appearance :			liquid
Odour :			characteristic
Colour			light brown
Melting point/melting range :	( 1013 hPa )		No data available
Freezing point :			No data available
Vapour density	(( air = 1 ) )		Data not available
Initial boiling point and boiling range :	( 1013 hPa )		No data available
Decomposition temperature :			No data available
Self flammability			No data available
Flash point :			Not flammable
Ignition temperature :			No data available
Lower explosion limit :			No data available
Upper explosion limit :			No data available
Explosive properties :			No data available.
Explosive properties			Data not available
Vapour pressure	( 20 °C )		No data available
Density :	( 20 °C )	approx.	0,85 g/cm <sup>3</sup>
Relative density :	( 20 °C )		No data available
Water solubility :	( 20 °C )		Dispersible
pH :			7,5
Log Pow	( 20 °C )		not applicable
Viscosity :	( 20 °C )		No data available
Odour threshold			Data not available
Odour threshold :			No data available
Relative vapour density :	( 20 °C )		No data available
Evaporation rate :			No data available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : DISTAK-L  
Revision date : 19.05.2017  
Print date : 19.05.2017

Version (Revision) : 2.0.0 (1.0.0)

Evaporation rate Data not available  
Maximum VOC content (EC) : 20 Wt %  
Oxidizing properties Not oxidising

## 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No information available.

### 10.2 Chemical stability

See section 7. No additional measures necessary.

### 10.3 Possibility of hazardous reactions

No information available.

### 10.4 Conditions to avoid

No information available.

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

No information available.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute effects

##### Acute oral toxicity

Parameter : LD50 ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Exposure route : Oral  
Species : Rat  
Effective dose : > 2000 mg/kg

##### Acute dermal toxicity

Parameter : LD50 ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : > 2000 mg/kg

##### Acute inhalation toxicity

Parameter : LD50 ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 21,9 mg/l  
Exposure time : 8 h

#### Sensitisation

not sensitising.

#### Repeated dose toxicity (subacute, subchronic, chronic)

There were no chronic effects or effects at low concentrations.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

##### Carcinogenicity

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : DISTAK-L  
Revision date : 19.05.2017  
Print date : 19.05.2017

Version (Revision) : 2.0.0 (1.0.0)

Parameter : Carcinogenicity ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Exposure route : Carcinogenicity  
Test result : Negative.

### Germ cell mutagenicity

#### Genotoxicity

Parameter : Genotoxicity ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Exposure route : In vitro mutagenicity  
Test result : Negative.

Parameter : Genotoxicity ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Exposure route : In vitro mutagenicity  
Test result : Negative.

### Reproductive toxicity

#### Developmental toxicity/teratogenicity

##### One generation reproduction toxicity test

Parameter : NOAEL(C) ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Exposure route : One generation reproduction toxicity test  
Species : Rat  
Effective dose : 50 mg/kg bw/day  
Exposure time : 10 days

### STOT-single exposure

#### STOT SE 3

Parameter : LOAEL(C) ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Exposure route : Oral  
Species : Rat  
Effective dose : 1000 mg/kg bw/day  
Exposure time : 24 month

### STOT-repeated exposure

#### STOT RE 1 and 2

Parameter : STOT RE 1 and 2 ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Exposure route : Oral  
Species : Rat

## SECTION 12: Ecological information

Do not allow uncontrolled discharge of product into the environment.

### 12.1 Toxicity

#### Aquatic toxicity

##### Acute (short-term) fish toxicity

Parameter : LC50 ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Species : Brachydanio rerio (zebra-fish)  
Effective dose : 1 - 10 mg/l  
Exposure time : 96 h  
Method : OECD 203

##### Acute (short-term) daphnia toxicity

Parameter : EC50 ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Species : Daphnia magna (Big water flea)

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : DISTAK-L  
Revision date : 19.05.2017  
Print date : 19.05.2017

Version (Revision) : 2.0.0 (1.0.0)

Effective dose : 1 - 10 mg/l  
Exposure time : 48 h  
Method : OECD 202

### Acute (short-term) algae toxicity

Parameter : EC50 ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Species : Desmodesmus subspicatus  
Effective dose : 1 - 10  
Method : OECD 201

### Bacteria toxicity

Parameter : EC10 ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Species : Pseudomonas putida  
Effective dose : > 2000 mg/l

## 12.2 Persistence and degradability

### Biodegradation

Parameter : Biodegradation ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Inoculum : Degree of elimination  
Effective dose : < 60 %  
Exposure time : 28 days  
Method : OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C

## 12.3 Bioaccumulative potential

Parameter : Bioconcentration factor (BCF) ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Concentration : 8 - 8,1  
Parameter : Bioconcentration factor (BCF) ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Concentration : 8 - 8,1

## 12.4 Mobility in soil

### Adsorption/Desorption

Parameter : Mobility in soil ( 4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) ; CAS No. : 127087-87-0 )  
Inoculum : Koc  
Effective dose : 131 - 1224

## 12.5 Results of PBT and vPvB assessment

No information available.

## 12.6 Other adverse effects

No information available.

## 12.7 Additional ecotoxicological information

None

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product/Packaging disposal

Dispose according to legislation.

## SECTION 14: Transport information

### 14.1 UN number

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : DISTAK-L  
Revision date : 19.05.2017  
Print date : 19.05.2017

Version (Revision) : 2.0.0 (1.0.0)

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

### 14.4 Packing group

No dangerous good in sense of these transport regulations.

### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

Regulation (EC) 1907/2006/CE (REACH). Regulation (EC) No 1272/2008 (CLP). Regulation (EU) 2015/830 requirements for the compilation of safety data sheets. Commission Regulation (EC) No 790/2009/CE (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 286/2011 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 618/2012 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 487/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 758/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 944/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 605/2014 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 1297/2015 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008).

#### Other regulations (EU)

##### Regulation (CE) 1907/2006: Substance of very high concern included in the SVHC Candidate List

4-NONYLPHENOL, BRANCHED, ETHOXYLATED (6 EO) CAS: 127087-87-0 EINECS: 932-098-4 Date of inclusion: 20.06.2013

#### National regulations

Italy: Legislative Decree 81/2008 (Consolidated Law on protection of health and safety at work), as amended and Directive 2009/161/UE - chemical risk assessment in accordance with Title IX

#### Water hazard class (WGK)

Class : 2 (Hazardous to water) Classification according to VwVwS

### 15.2 Chemical safety assessment

not applicable

## SECTION 16: Other information

### 16.1 Indication of changes

02. Classification of the substance or mixture · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling · 03. Hazardous ingredients · 07. Hints on joint storage - Storage class

### 16.2 Abbreviations and acronyms



# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : DISTAK-L  
Revision date : 19.05.2017  
Print date : 19.05.2017

Version (Revision) : 2.0.0 (1.0.0)

### LEGENDA:

ADR:	Accord européen relative au transport international des marchandises dangereuses par route (accordo europeo relativo al trasporto internazionale delle merci pericolose su strada)
ASTM:	ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)
EINECS:	European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze chimiche in Commercio)
EC(0/50/100):	Effective Concentration 0/50/100 (Concentrazione Effettiva Massima per 0/50/100% degli Individui)
LC(0/50/100):	Lethal Concentration 0/50/100 (Concentrazione Letale per 0/50/100% degli Individui)
IC50:	Inhibitor Concentration 50 (Concentrazione Inibente per il 50% degli Individui)
NOEL:	No Observed Effect Level (Dose massima senza effetti)
NOEC:	No Observed Effect Concentration (Concentrazione massima senza effetti)
LOEC:	Lowest Observed Effect Concentration (Concentrazione massima alla quale è possibile evidenziare un effetto)
DNEL:	Derived No Effect Level (Dose derivata di non effetto)
DMEL:	Derived Minimum Effect Level (Dose derivata di minimo effetto)
CLP:	Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio)
CSR:	Rapporto sulla Sicurezza Chimica (Chemical Safety Report)
LD(0/50/100):	Lethal Dose 0/50/100 (Dose Letale per 0/50/100% degli Individui)
IATA:	International Air Transport Association (Associazione Internazionale del Trasporto Aereo)
ICAO:	International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)
Codice IMDG:	International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Marittimo)
PBT:	Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche)
RID:	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)
STEL:	Short term exposure limit (limite di esposizione a breve termine)
TLV:	Threshold limit value (soglia di valore limite)
TWA:	Time Weighted Average (media ponderata nel tempo)
UE:	Unione Europea
vPvB:	Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)
N.D.:	Non disponibile.
N.A.:	Non applicabile
VwVwS.:	Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water Hazard Classes (Verwaltungsvorschrift wassergefährdende Stoffe – VwVwS)
PNEC:	Predicted No Effect Concentration
PNOS:	Particulates not Otherwise Specified
BOD:	Biochemical Oxygen Demand
COD:	Chemical Oxygen Demand
BCF:	BioConcentration Factor
TRGS :	Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The Federal Institute for Occupational Safety and Health, Germany
LCLo:	Lethal Concentration Low (La minima concentrazione letale)
ThOD:	Theoretical Oxygen Demand

### 16.3 Key literature references and sources for data

None

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

calculated.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** DISTAK-L  
**Revision date :** 19.05.2017  
**Print date :** 19.05.2017

**Version (Revision) :** 2.0.0 (1.0.0)

---

H412 Harmful to aquatic life with long lasting effects.

## 16.6 Training advice

None

## 16.7 Additional information

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---