

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX IMC  
Revision date : 20.05.2019  
Print date : 20.05.2019

Version : 1.0.0

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

CONSILEX IMC

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Surface active agent

#### Uses advised against

None

### 1.3 Details of the supplier of the safety data sheet

#### Supplier (manufacturer/importer/only representative/downstream user/distributor)

AZICHEM Srl

**Street :** Via G. Gentile16/A

**Postal code/city :** 46044 Goito (MN)

**Telephone :** +390376604185/604365

**Telefax :** +39 0376 604398

**Information contact :** info@azichem.com

### 1.4 Emergency telephone number

Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) (24h)

Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia)

Centro Antiveleni di Bergamo 800 883300 (CAV Ospedali Riuniti - Bergamo)

Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze)

Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Gemelli - Roma)

Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberto I - Roma) Centro Antiveleni di Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.

Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Hazard pictograms



Exclamation mark (GHS07)

##### Signal word

Warning

##### Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

##### Precautionary statements

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX IMC  
Revision date : 20.05.2019  
Print date : 20.05.2019

Version : 1.0.0

P264 Wash hands thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P302+P352 IF ON SKIN: Wash with plenty of water/....  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

### Special rules for supplemental label elements for certain mixtures

EUH208 Contains A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE (3:1). May produce an allergic reaction.

### 2.3 Other hazards

None

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

DIMETHYL SILOXANE, (ETHANEDIAMINO-2-METHYLPROPYL) METHOXYMETHYLSILYL)OXY- AND C13-15-ALKOXY-TERM. ; CAS No. : 188627-10-3

Weight fraction :  $\geq 40 - < 45$  %  
Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319

METHANOL ; REACH registration No. : 01-2119433307-44 ; EC No. : 200-659-6; CAS No. : 67-56-1

Weight fraction :  $\geq 0,5 - < 1$  %  
Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Acute Tox. 3 ; H301 Acute Tox. 3 ; H311 Acute Tox. 3 ; H331 STOT SE 1 ; H370

FORMIC ACID ; REACH registration No. : 01-2119491174-37 ; EC No. : 200-579-1; CAS No. : 64-18-6

Weight fraction :  $\geq 0,5 - < 1$  %  
Classification 1272/2008 [CLP] : Flam. Liq. 3 ; H226 Acute Tox. 3 ; H331 Skin Corr. 1A ; H314 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302

A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9

Weight fraction :  $\geq 0,00015 - < 0,0015$  %  
Classification 1272/2008 [CLP] : Acute Tox. 2 ; H330 Acute Tox. 3 ; H301 Acute Tox. 3 ; H311 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Skin Sens. 1 ; H317 Aquatic Acute 1 ; H400 (M=100) Aquatic Chronic 1 ; H410 (M=100)

#### Additional information

Full text of H- and EUH-statements: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

Remove victim out of the danger area. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

#### In case of skin contact

Wash immediately with: Water Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.

#### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX IMC  
Revision date : 20.05.2019  
Print date : 20.05.2019

Version : 1.0.0

## After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

## 4.2 Most important symptoms and effects, both acute and delayed

Irritation to eyes Primary irritation to the skin May cause sensitisation by skin contact.

## 4.3 Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Extinguishing powder alcohol resistant foam Carbon dioxide (CO<sub>2</sub>) Water mist

### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

not applicable

### 5.3 Advice for firefighters

Remove persons to safety.

#### Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use appropriate respiratory protection.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately. Wear a self-contained breathing apparatus and chemical protective clothing.

#### For non-emergency personnel

Remove persons to safety.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3 Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

#### For cleaning up

The contaminated area should be cleaned up immediately with: Water Retain contaminated washing water and dispose it.

### 6.4 Reference to other sections

Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8

## SECTION 7: Handling and storage



### 7.1 Precautions for safe handling

#### Protective measures

Specific requirements or handling rules

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX IMC  
Revision date : 20.05.2019  
Print date : 20.05.2019

Version : 1.0.0

Do not breathe dust. Do not breathe gas/fumes/vapour/spray. See section 8.

### Advices on general occupational hygiene

Normal precautions taken when handling chemicals should be observed.

### 7.2 Conditions for safe storage, including any incompatibilities

Only use containers specifically approved for the substance/product.

#### Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Protect against UV-radiation/sunlight Humidity.

#### Hints on joint storage

Storage class : 10

Storage class (TRGS 510) : 10

#### Keep away from

Store at least 3 metres apart from: Chemicals/products that react together readily

#### Further information on storage conditions

Keep container tightly closed and in a well-ventilated place.

### 7.3 Specific end use(s)

None

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

METHANOL ; CAS No. : 67-56-1

Limit value type (country of origin) : TRGS 900 ( D )

Limit value : 200 ppm / 270 mg/m<sup>3</sup>

Peak limitation : 4(II)

Remark : H, Y

Version : 06.11.2015

Limit value type (country of origin) : TWA ( EC )

Limit value : 200 ppm / 260 mg/m<sup>3</sup>

Remark : H

Version : 07.02.2006

FORMIC ACID ; CAS No. : 64-18-6

Limit value type (country of origin) : TRGS 900 ( D )

Limit value : 5 ppm / 9,5 mg/m<sup>3</sup>

Peak limitation : 2(I)

Remark : Y

Version : 02.04.2014

Limit value type (country of origin) : OEL ( EC )

Limit value : 9 mg/m<sup>3</sup> / 5 ppm

Version :

Limit value type (country of origin) : TWA ( EC )

Limit value : 5 ppm / 9 mg/m<sup>3</sup>

Version : 07.02.2006

#### Biological limit values

METHANOL ; CAS No. : 67-56-1

Limit value type (country of origin) : TRGS 903 ( D )

Methanol / Urine (U) / End of exposure or end of shift ; At long term exposure: after several previous shifts

Parameter :

Limit value : 30 mg/l

Version : 31.03.2004

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX IMC  
Revision date : 20.05.2019  
Print date : 20.05.2019

Version : 1.0.0

### DNEL/DMEL and PNEC values

#### DNEL/DMEL

Limit value type : DNEL Consumer (local) ( METHANOL ; CAS No. : 67-56-1 )  
Exposure route : Inhalation  
Exposure frequency : Short-term (acute)  
Limit value : 50 mg/m<sup>3</sup>

Limit value type : DNEL Consumer (systemic) ( METHANOL ; CAS No. : 67-56-1 )  
Exposure route : Dermal  
Exposure frequency : Long-term (repeated)  
Limit value : 8 mg/kg

Limit value type : DNEL Consumer (systemic) ( METHANOL ; CAS No. : 67-56-1 )  
Exposure route : Inhalation  
Exposure frequency : Long-term (repeated)  
Limit value : 50 mg/m<sup>3</sup>

Limit value type : DNEL Consumer (systemic) ( METHANOL ; CAS No. : 67-56-1 )  
Exposure route : Oral  
Exposure frequency : Long-term (repeated)  
Limit value : 8 mg/kg

Limit value type : DNEL Consumer (systemic) ( METHANOL ; CAS No. : 67-56-1 )  
Exposure route : Dermal  
Exposure frequency : Short-term (acute)  
Limit value : 8 mg/kg

Limit value type : DNEL Consumer (systemic) ( METHANOL ; CAS No. : 67-56-1 )  
Exposure route : Inhalation  
Exposure frequency : Short-term (acute)  
Limit value : 50 mg/kg

Limit value type : DNEL Consumer (systemic) ( METHANOL ; CAS No. : 67-56-1 )  
Exposure route : Oral  
Exposure frequency : Short-term (acute)  
Limit value : 8 mg/kg

Limit value type : DNEL worker (local) ( METHANOL ; CAS No. : 67-56-1 )  
Exposure route : Dermal  
Exposure frequency : Short-term (acute)  
Limit value : 40 mg/kg

Limit value type : DNEL worker (local) ( METHANOL ; CAS No. : 67-56-1 )  
Exposure route : Inhalation  
Exposure frequency : Short-term (acute)  
Limit value : 260 mg/m<sup>3</sup>

Limit value type : DNEL worker (systemic) ( METHANOL ; CAS No. : 67-56-1 )  
Exposure route : Inhalation  
Exposure frequency : Short-term (acute)  
Limit value : 260 mg/m<sup>3</sup>

Limit value type : DNEL worker (systemic) ( METHANOL ; CAS No. : 67-56-1 )  
Exposure route : Dermal  
Exposure frequency : Long-term (repeated)  
Limit value : 40 mg/kg

Limit value type : DNEL worker (systemic) ( METHANOL ; CAS No. : 67-56-1 )  
Exposure route : Inhalation  
Exposure frequency : Long-term (repeated)  
Limit value : 260 mg/m<sup>3</sup>

#### PNEC

Limit value type : PNEC aquatic, freshwater ( FORMIC ACID ; CAS No. : 64-18-6 )  
Limit value : 2 mg/l  
Limit value type : PNEC aquatic, marine water ( FORMIC ACID ; CAS No. : 64-18-6 )

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX IMC  
Revision date : 20.05.2019  
Print date : 20.05.2019

Version : 1.0.0

Limit value : 0,2 mg/l  
Limit value type : PNEC sediment, freshwater ( FORMIC ACID ; CAS No. : 64-18-6 )  
Limit value : 13,4 mg/kg  
Limit value type : PNEC sediment, marine water ( FORMIC ACID ; CAS No. : 64-18-6 )  
Limit value : 1,34 mg/kg  
Limit value type : PNEC Soil ( FORMIC ACID ; CAS No. : 64-18-6 )  
Limit value : 1,5 mg/kg  
Limit value type : PNEC sewage treatment plant (STP) ( FORMIC ACID ; CAS No. : 64-18-6 )  
Limit value : 7,2 mg/l

## 8.2 Exposure controls

### Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

### Personal protection equipment



When using do not eat, drink, smoke, sniff.

### Eye/face protection

#### Suitable eye protection

Eye glasses with side protection DIN EN 166

### Skin protection

#### Hand protection

Tested protective gloves must be worn DIN EN 374

**Suitable material** : Butyl caoutchouc (butyl rubber) NBR (Nitrile rubber) PVC (Polyvinyl chloride)

### Respiratory protection

Usually no personal respiratory protection necessary.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Safety relevant basis data

Appearance :		liquid
Odour :		odourless
Colour		colorless to yellow
Melting point/melting range :	( 1013 hPa )	not determined
Vapour density	( air = 1 )	> 1
Initial boiling point and boiling range :	( 1013 hPa )	not determined
Decomposition temperature :		not determined
Self flammability		Not selfigniting
Flash point :	>	60 °C
Lower explosion limit :		not determined
Upper explosion limit :		not determined
Explosive properties :		No data available.
Explosive properties		Data not available
Vapour pressure	( 20 °C )	No data available
Density :	( 20 °C )	1,1 g/cm <sup>3</sup>
Relative density :	( 20 °C )	not determined
Water solubility :	( 20 °C )	Soluble
pH :		3 - 6

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX IMC  
Revision date : 20.05.2019  
Print date : 20.05.2019

Version : 1.0.0

Log Pow	( 20 °C )	not applicable
Viscosity :	( 20 °C )	not determined
Odour threshold		Data not available
Odour threshold :		No data available
Relative vapour density :	( 20 °C )	not determined
Evaporation rate :		not determined
Oxidizing properties		Not oxidising

## 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product is stable.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions. See section 7. No additional measures necessary.

### 10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled properly.

### 10.4 Conditions to avoid

No information available.

### 10.5 Incompatible materials

None

### 10.6 Hazardous decomposition products

None

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute effects

##### Acute oral toxicity

Parameter :	LD50
Exposure route :	Oral
Species :	Rat
Effective dose :	> 2000 mg/kg
Parameter :	LD50 ( METHANOL ; CAS No. : 67-56-1 )
Exposure route :	Oral
Species :	Rat
Effective dose :	1187 - 2769 mg/kg

##### Acute dermal toxicity

Parameter :	LD50
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	> 2000 mg/kg
Parameter :	LD50 ( METHANOL ; CAS No. : 67-56-1 )
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	17000 mg/kg

##### Acute inhalation toxicity

Parameter :	LC50 ( METHANOL ; CAS No. : 67-56-1 )
Exposure route :	Inhalation
Species :	Rat

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX IMC  
Revision date : 20.05.2019  
Print date : 20.05.2019

Version : 1.0.0

Effective dose : 128,2 mg/l  
Exposure time : 4 h  
Parameter : LC50 ( METHANOL ; CAS No. : 67-56-1 )  
Exposure route : Inhalation  
Species : Mouse  
Effective dose : 79,43 mg/l  
Exposure time : 134 min  
Parameter : LC50 ( METHANOL ; CAS No. : 67-56-1 )  
Exposure route : Inhalation  
Species : Cat  
Effective dose : 85,41 mg/l  
Exposure time : 4,5 h  
Parameter : LC50 ( METHANOL ; CAS No. : 67-56-1 )  
Exposure route : Inhalation  
Species : Cat  
Effective dose : 43,68 mg/l  
Exposure time : 6 h

### Irritant and corrosive effects

#### Primary irritation to the skin

Irritant.

#### Irritation to eyes

Irritant.

#### Irritation to respiratory tract

Not an irritant.

### Sensitisation

#### In case of skin contact

May cause an allergic skin reaction.

#### In case of inhalation

not sensitising.

### Repeated dose toxicity (subacute, subchronic, chronic)

#### Chronic inhalation toxicity

None

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The ingredients in this mixture do not meet the criteria for classification as CMR according to CLP.

## SECTION 12: Ecological information

Do not allow uncontrolled discharge of product into the environment.

### 12.1 Toxicity

#### Aquatic toxicity

No data available

#### Acute (short-term) fish toxicity

Parameter : LC50 ( METHANOL ; CAS No. : 67-56-1 )  
Species : Lepomis macrochirus (Bluegill)  
Effective dose : 15400 mg/l  
Exposure time : 96 h

#### Chronic (long-term) fish toxicity

Parameter : NOEC ( METHANOL ; CAS No. : 67-56-1 )  
Species : Oryzias latipes (Ricefish)  
Effective dose : 7900 mg/l

#### Acute (short-term) daphnia toxicity



# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX IMC  
Revision date : 20.05.2019  
Print date : 20.05.2019

Version : 1.0.0

Parameter : EC50 ( METHANOL ; CAS No. : 67-56-1 )  
Species : Daphnia magna (Big water flea)  
Effective dose : > 10000 mg/l  
Exposure time : 48 h

### Chronic (long-term) daphnia toxicity

Parameter : NOEC ( FORMIC ACID ; CAS No. : 64-18-6 )  
Species : Daphnia magna (Big water flea)  
Effective dose : 102 mg/l  
Exposure time : 21 days

### Acute (short-term) algae toxicity

Parameter : EC50 ( METHANOL ; CAS No. : 67-56-1 )  
Species : Selenastrum capricornutum  
Effective dose : 22000 mg/l  
Exposure time : 96 h

### Bacteria toxicity

Parameter : EC50 ( FORMIC ACID ; CAS No. : 64-18-6 )  
Species : Pseudomonas putida  
Effective dose : 46,7 mg/l  
Exposure time : 17 h  
Parameter : EC10 ( FORMIC ACID ; CAS No. : 64-18-6 )  
Species : Activated sludge  
Effective dose : 72 mg/l  
Exposure time : 13 days  
Parameter : EC20 ( FORMIC ACID ; CAS No. : 64-18-6 )  
Species : Activated sludge  
Effective dose : > 1000 mg/l  
Exposure time : 30 min

## 12.2 Persistence and degradability

Readily biodegradable (according to OECD criteria).

### Biodegradation

Parameter : Biodegradation ( FORMIC ACID ; CAS No. : 64-18-6 )  
Effective dose : > 99  
Exposure time : 10 days  
Method : OECD 301E/ EEC 92/69/V, C.4-B

## 12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This product is none, or does not contain a substance called a PBT or vPvB

## 12.6 Other adverse effects

No information available.

## 12.7 Additional ecotoxicological information

None

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product/Packaging disposal

Dispose according to legislation.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX IMC  
Revision date : 20.05.2019  
Print date : 20.05.2019

Version : 1.0.0

### SECTION 14: Transport information

#### 14.1 UN number

No dangerous good in sense of these transport regulations.

#### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

#### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

#### 14.4 Packing group

No dangerous good in sense of these transport regulations.

#### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

#### 14.6 Special precautions for user

None

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU legislation

Regulation (EC) 1907/2006 (REACH).

Regulation (EC) No 1272/2008 (CLP).

Regulation (EU) 2015/830 requirements for the compilation of safety data sheets.

Amendings, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008:

Commission Regulation (EC) No 790/2009 (I ATP). Commission Regulation (EU) No 286/2011 (II ATP). Commission

Regulation (EU) No 618/2012 (III ATP). Commission Regulation (EU) No 487/2013 (IV ATP). Commission Regulation

(EU) No 944/2013 (V ATP). Commission Regulation (EU) No 605/2014 (VI ATP). Commission Regulation (EU) No

1297/2014 (VII ATP). Commission Regulation (EU) No 2015/1221 (VIII ATP). Commission Regulation (EU) No

2016/1179 (IX ATP). Commission Regulation 2017/776 (EU) No (X ATP).

##### Other regulations (EU)

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]

This product is not classified according to Directive 2012/18/EU.

##### Regulation (CE) 1907/2006: Substance of very high concern included in the SVHC Candidate List

None

##### National regulations

Italy: Legislative Decree 81/2008 (Consolidated Law on protection of health and safety at work), as amended and

Directive 2009/161/UE - chemical risk assessment in accordance with Title IX

##### Störfallverordnung

##### For substances contained in the product

METHANOL ; CAS No. : 67-56-1 ; Category : 26

##### Technische Anleitung Luft (TA-Luft)

Weight fraction (Number 5.2.5. I) : < 5 %

##### Water hazard class (WGK)

Class : 1 (Slightly hazardous to water) Classification according to VwVwS

#### 15.2 Chemical safety assessment

not applicable

### SECTION 16: Other information

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX IMC  
Revision date : 20.05.2019  
Print date : 20.05.2019

Version : 1.0.0

### 16.1 Indication of changes

None

### 16.2 Abbreviations and acronyms

#### LEGENDA:

ADR:	Accord européen relative au transport international des marchandises dangereuses par route (accordo europeo relativo al trasporto internazionale delle merci pericolose su strada)
ASTM:	ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)
EINECS:	European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze chimiche in Commercio)
EC(0/50/100):	Effective Concentration 0/50/100 (Concentrazione Effettiva Massima per 0/50/100% degli Individui)
LC(0/50/100):	Lethal Concentration 0/50/100 (Concentrazione Letale per 0/50/100% degli Individui)
IC50:	Inhibitor Concentration 50 (Concentrazione Inibente per il 50% degli Individui)
NOEL:	No Observed Effect Level (Dose massima senza effetti)
NOEC:	No Observed Effect Concentration (Concentrazione massima senza effetti)
LOEC:	Lowest Observed Effect Concentration (Concentrazione massima alla quale è possibile evidenziare un effetto)
DNEL:	Derived No Effect Level (Dose derivata di non effetto)
DMEL:	Derived Minimum Effect Level (Dose derivata di minimo effetto)
CLP:	Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio)
CSR:	Rapporto sulla Sicurezza Chimica (Chemical Safety Report)
LD(0/50/100):	Lethal Dose 0/50/100 (Dose Letale per 0/50/100% degli Individui)
IATA:	International Air Transport Association (Associazione Internazionale del Trasporto Aereo)
ICAO:	International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)
Codice IMDG:	International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Marittimo)
PBT:	Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche)
RID:	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)
STEL:	Short term exposure limit (limite di esposizione a breve termine)
TLV:	Threshold limit value (soglia di valore limite)
TWA:	Time Weighted Average (media ponderata nel tempo)
UE:	Unione Europea
vPvB:	Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)
N.D.:	Non disponibile.
N.A.:	Non applicabile
AwSV.:	Ordinance on facilities for handling substances that are hazardous to water (Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV))
PNEC:	Predicted No Effect Concentration
PNOS:	Particulates not Otherwise Specified
BOD:	Biochemical Oxygen Demand
COD:	Chemical Oxygen Demand
BCF:	BioConcentration Factor
TRGS :	Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The Federal Institute for Occupational Safety and Health, Germany
LCLo:	Lethal Concentration Low (La minima concentrazione letale)
ThOD:	Theoretical Oxygen Demand

### 16.3 Key literature references and sources for data

None

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

calculated.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX IMC  
Revision date : 20.05.2019  
Print date : 20.05.2019

Version : 1.0.0

---

H301+H311	Toxic if swallowed or in contact with skin.
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H370	Causes damage to organs.
H410	Very toxic to aquatic life with long lasting effects.

## 16.6 Training advice

None

## 16.7 Additional information

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---