

Trade name : Revision date : Print date : PROTECH GRAFFITI ONE SHOT 02.04.2021 08.04.2021

Version :

1.0.0

(EN/D)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking 1.1 Product identifier PROTECH GRAFFITI ONE SHOT 1.2 Relevant identified uses of the substance or mixture and uses advised against **Relevant identified uses** Building and construction preparations: Anti-graffiti protection for masonry and urban buildings Uses advised against None 1.3 Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor) **AZICHEM Srl** Street : Via G. Gentile16/A Postal code/city: 46044 Goito (MN) **Telephone :** +390376604185/604365 **Telefax :** +39 0376 604398 Information contact : info@azichem.com 1.4 Emergency telephone number Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) (24h) Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia) Centro Antiveleni di Bergamo 800 883300 (CAV Ospedali Riuniti - Bergamo) Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze) Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Gemelli - Roma) Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberto I - Roma) Centro Antiveleni di Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli) **SECTION 2: Hazards identification** 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms Exclamation mark (GHS07) Signal word Warning Hazard statements H319 Causes serious eye irritation. Special rules for supplemental label elements for certain mixtures Contains A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2- METHYL-2H-FUH208 ISOTHIAZOL-3-ONE (3:1). May produce an allergic reaction. Page : 1 / 9



Trade name : Revision date : Print date : PROTECH GRAFFITI ONE SHOT 02.04.2021 08.04.2021

1.0.0

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

ALCOHOLS, C16-18 AND C18-UNSATD., ETHOXYLATED (20EO) ; REACH registration No. : - ; EC No. : -; CAS No. : 68920-66-1

Weight fraction : $\geq 1 - < 3 \%$ Classification 1272/2008 [CLP] :Eye Dam. 1 ; H318 Acute Tox. 4 ; H302A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1) ; REACHregistration No. : 01-2120764691-48 ; CAS No. : 55965-84-9 $\geq 0,00015 - < 0,0015 \%$ Classification 1272/2008 [CLP] :Acute Tox. 2 ; H310 Acute Tox. 2 ; H330 Acute Tox. 3 ; H301 Skin Corr. 1C ; H314Eye Dam. 1 ; H318 Skin Sens. 1 ; H317 Aquatic Acute 1 ; H400 (M=100)Aquatic Chronic 1 ; H410 (M=100)

Additional information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove victim out of the danger area. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

In case of skin contact

Wash immediately with: Water Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

4.2 Most important symptoms and effects, both acute and delayed May cause an allergic skin reaction. Irritation to eyes

4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder alcohol resistant foam Carbon dioxide (CO2) Water mist

5.2 Special hazards arising from the substance or mixture Hazardous combustion products Nessuno in particolare

5.3 Advice for firefighters



Trade name : Revision date : Print date : PROTECH GRAFFITI ONE SHOT 02.04.2021 08.04.2021

Version :

1.0.0

Remove persons to safety.

Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use appropriate respiratory protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately. Wear a self-contained breathing apparatus and chemical protective clothing.

For non-emergency personnel

Remove persons to safety.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

For cleaning up

The contaminated area should be cleaned up immediately with: Water Retain contaminated washing water and dispose it.

6.4 Reference to other sections

Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8

SECTION 7: Handling and storage



7.1 Precautions for safe handling

Protective measures

Specific requirements or handling rules

Do not breathe dust. Do not breathe gas/fumes/vapour/spray. See section 8.

Advices on general occupational hygiene

Normal precautions taken when handling chemicals should be observed.

7.2 Conditions for safe storage, including any incompatibilities

Only use containers specifically approved for the substance/product.

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Protect against UV-radiation/sunlight Humidity.

Hints on joint storage

Storage class: 10

Storage class (TRGS 510): 10

Keep away from

Store at least 3 metres apart from: Chemicals/products that react together readily

Further information on storage conditions

Keep container tightly closed and in a well-ventilated place.

7.3 Specific end use(s)

None



Trade name : Revision date : Print date : PROTECH GRAFFITI ONE SHOT 02.04.2021 08.04.2021

Version :

1.0.0

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls

Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Personal protection equipment



When using do not eat, drink, smoke, sniff.

Eye/face protection

Suitable eye protection Eye glasses with side protection DIN EN 166

Skin protection

Hand protection

Tested protective gloves must be worn DIN EN 374

By short-term hand contact : Butyl caoutchouc (butyl rubber) Breakthrough time : > 480 min. > 0,7 mm **By long-term hand contact** : NBR (Nitrile rubber) > 30 min. > 0,4 mm

Respiratory protection

Respiratory protection not required

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Safety relevant basis data

Aspect Colour			clear liquid white	
Odour			light	
Melting point/melting range :	(1013 hPa)		not determined	
Vapour density	((air = 1))		Not Determined	
Initial boiling point and boiling range :	(1013 hPa)	>	100	°C
Decomposition temperature :			not determined	
Flash point :		>	70	°C
Ignition temperature :			not determined	
Lower explosion limit :			not determined	
Upper explosion limit :			not determined	
Explosive properties			Product is not explosive	
Vapour pressure	(20 °C)		not determined	
Density :	(20 °C)	approx.	1	g/cm ³
Water solubility :	(20 °C)		miscibility	
Soluble in:	(20 °C)		polar solvents	
pH :			9 - 10,5	
Log Pow	(20 °C)		not determined	
Viscosity :	(20 °C)		not determined	
Odour threshold :			not determined	



Trade name : Revision date : Print date : PROTECH GRAFFITI ONE SHOT 02.04.2021 08.04.2021

Version :

not determined

Not oxidising

1.0.0

Evaporation rate : Oxidizing properties

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is stable.

10.2 Chemical stability

Stable under recommended storage and handling conditions. See section 7. No additional measures necessary.

10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled properly.

10.4 Conditions to avoid No information available.

10.5 Incompatible materials

- None
- 10.6 Hazardous decomposition products

None

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

There are no data available on the mixture itself. **Acute oral toxicity**

Parameter :

Species :

Exposure route :

Effective dose :

LD50 (ALCOHOLS, C16-18 AND C18-UNSATD., ETHOXYLATED (20EO) ; CAS No. : 68920-66-1) Oral Rat 300 - 2000 mg/kg

Irritant and corrosive effects

Primary irritation to the skin

Not an irritant. Irritation to eyes Irritant.

Irritation to respiratory tract Not an irritant.

Sensitisation

In case of skin contact May cause an allergic skin reaction. In case of inhalation

not sensitising.

Repeated dose toxicity (subacute, subchronic, chronic)

There were no chronic effects or effects at low concentrations.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The ingredients in this mixture do not meet the criteria for classification as CMR according to CLP.

SECTION 12: Ecological information



Trade name : Revision date : Print date : PROTECH GRAFFITI ONE SHOT 02.04.2021 08.04.2021

Version :

1.0.0

Do not allow uncontrolled discharge of product into the environment.

- -

12.1 Toxicity

Aquatic toxicity	
Acute (short-term) fish toxici	ty
Parameter :	LC50 (ALCOHOLS, C16-18 AND C18-UNSATD., ETHOXYLATED (20EO) ; CAS No. : 68920-66-1)
Species :	Carassius auratus (goldfish)
Effective dose :	1 - 10 mg/l
Exposure time :	96 h
Acute (short-term) daphnia to	oxicity
Parameter :	EC50 (ALCOHOLS, C16-18 AND C18-UNSATD., ETHOXYLATED (20EO) ; CAS No. : 68920-66-1)
Species :	Daphnia
Effective dose :	1 - 10 mg/l
Exposure time :	48 h
12.2 Persistence and degradab	bility
There are no data available on the	mixture itself.
Biodegradation	
Parameter :	COD-decrease (ALCOHOLS, C16-18 AND C18-UNSATD., ETHOXYLATED (20EO) ; CAS No. : 68920-66-1)
Effective dose :	2100 mgO2/d
12.3 Bioaccumulative potentia	I
There are no data available on the	
12.4 Mobility in soil	
No data available	
12.5 Results of PBT and vPvB a	
· ·	ontain a substance called a PBT or vPvB
12.6 Other adverse effects	
No information available.	
12.7 Additional ecotoxicologica	al information
None	
SECTION 13: Disposal conside	rations
13.1 Waste treatment methods	5
Product/Packaging dispo	osal
Dispose according to legislation.	
SECTION 14: Transport inform	ation
14.1 UN number	co transport regulations
No dangerous good in sense of the	
14.2 UN proper shipping name	
No dangerous good in sense of the	
14.3 Transport hazard class(es	
No dangerous good in sense of the	se transport regulations.
14.4 Packing group	
No dangerous good in sense of the	se transport regulations.
	and the state of t

Page: 6 / 9



Trade name : Revision date : Print date : PROTECH GRAFFITI ONE SHOT 02.04.2021 08.04.2021

Version :

1.0.0

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code not applicable

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) 1907/2006 (REACh).

Regulation (EC) No 1272/2008 (CLP).

Regulation (EU) 2015/830 requirements for the compilation of safety data sheets.

Amendings, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008: Commission Regulation (EC) No 790/2009 (I ATP). Commission Regulation (EU) No 286/2011(II ATP). Commission Regulation (EU) No 618/2012 (III ATP). Commission Regulation (EU) No 487/2013 (IV ATP). Commission Regulation (EU) No 944/2013 (V ATP). Commission Regulation (EU) No 605/2014 (VI ATP). Commission Regulation (EU) No 1297/2014 (VII ATP). Commission Regulation (EU) No 2015/1221 (VIII ATP). Commission Regulation (EU) No 2016/1179 (IX ATP). Commission Regulation 2017/776 (EU) No (X ATP).Regulation (EU) No 2018/669 (XI ATP). Regulation (EU) No 2018/669 (XI ATP). Regulation (EU) No 2018/669 (XI ATP). ATP).

Other regulations (EU)

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] This product is not classified according to Directive 2012/18/EU.

Regulation (CE) 1907/2006: Substance of very high concern included in the SVHC Candidate List None

National regulations

Italy: Legislative Decree 81/2008 (Consolidated Law on protection of health and safety at work), as amended and Directive 2009/161/UE - chemical risk assessment in accordance with Title IX

Technische Anleitung Luft (TA-Luft)

Weight fraction (Number 5.2.5. I) : < 5 %

```
Water hazard class (WGK)
```

Class: 1 (Slightly hazardous to water) Classification according to VwVwS

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Indication of changes

None

16.2 Abbreviations and acronyms

LEGENDA:

ADR:	Accord européen relative au transport international des marchandises dangereuses par route (accordo europeo relativo al trasporto internazionale delle merci pericolose su strada)
ASTM:	ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)
EINECS:	European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze chimiche in Commercio)
EC(0/50/100):	Effective Concentration 0/50/100 (Concentrazione Effettiva Massima per 0/50100% degli Individui)
LC(0/50/100):	Lethal Concentration 0/50/100 (Concentrazione Letale per 0/50100% degli Individui)
IC50:	Inhibitor Concentration 50 (Concentrazione Inibente per il 50% degli Individui)



Trade name :	PROTECH GRAFFITI ONE SHOT		
Revision date :	02.04.2021	Version :	1.0.0
Print date :	08.04.2021		

NOEL:	No Observed Effect Level (Dose massima senza effetti)
NOEC:	No Observed Effect Concentration (Concentrazione massima senza effetti)
LOEC:	Lowest Observed Effect Concentration (Concentrazione massima alla quale è possibile evidenziare un effetto)
DNEL:	Derived No Effect Level (Dose derivata di non effetto)
DMEL:	Derived Minimum Effect Level (Dose derivata di minimo effetto)
CLP:	Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio)
CSR:	Rapporto sulla Sicurezza Chimica (Chemical Safety Report)
LD(0/50/100):	Lethal Dose 0/50/100 (Dose Letale per 0/50/100% degli Individui)
IATA:	International Air Transport Association (Associazione Internazionale del Trasporto Aereo)
ICAO:	International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)
Codice IMDG:	International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Marittimo)
PBT:	Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche)
RID:	Règlement concernent le transport International ferroviaire des marchandises Dangereuses (Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)
STEL:	Short term exposure limit (limite di esposizione a breve termine)
TLV:	Threshold limit value (soglia di valore limite)
TWA:	Time Weighted Average (media ponderata nel tempo)
UE:	Unione Europea
vPvB:	Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)
N.D.:	Non disponibile.
N.A.:	Non applicabile
AwSV.:	Ordinance on facilities for handling substances that are hazardous to water (Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV))
PNEC:	Predicted No Effect Concentration
PNOS:	Particulates not Otherwise Specified
BOD: COD:	Biochemical Oxygen Demand
	Chemical Oxygen Demand
BCF: TRGS :	BioConcentration Factor Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The
LCLo:	Federal Institute for Occupational Safety and Health, Germany Lethal Concentration Low (La minima concentrazione letale)
ThOD:	Theoretical Oxygen Demand
-	re references and sources for data
None	· · · · · · · · · · · · · · · · · · ·
	n for mixtures and used evaluation method according to regulation 2/2008 [CLP]
16.5 Relevant H-	and EUH-phrases (Number and full text)
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310+H330	Fatal in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H410	Very toxic to aquatic life with long lasting effects.
16.6 Training adv	ice
None	
16.7 Additional in	Iformation
None	

The above information describes exclusively the safety requirements of the product and is based on our present-day



Trade name : Revision date : Print date : PROTECH GRAFFITI ONE SHOT 02.04.2021 08.04.2021

Version :

1.0.0

knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.